



Additional Assessment Materials
Summer 2021

Pearson Edexcel GCE in A Level Biology

Topic 6: Microbiology and Pathogens

(Public release version)

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

General guidance to Additional Assessment Materials for use in 2021

Context

- Additional Assessment Materials are being produced for GCSE, AS and A levels (with the exception of Art and Design).
- The Additional Assessment Materials presented in this booklet are an **optional** part of the range of evidence teachers may use when deciding on a candidate's grade.
- 2021 Additional Assessment Materials have been drawn from previous examination materials, namely past papers.
- Additional Assessment Materials have come from past papers both published (those materials available publicly) and unpublished (those currently under padlock to our centres) presented in a different format to allow teachers to adapt them for use with candidate.

Purpose

- The purpose of this resource to provide qualification-specific sets/groups of questions covering the knowledge, skills and understanding relevant to this Pearson qualification.
- This document should be used in conjunction with the mapping guidance which will map content and/or skills covered within each set of questions.
- These materials are only intended to support the summer 2021 series.

1

During the development of active immunity, macrophages present antigens to T helper cells.

(a) Describe how macrophages present antigens to T helper cells.

(2)

(b) In an investigation into clonal selection, macrophages and T cells were isolated from two strains of guinea pig, strain 2 and strain 13.

The macrophages from each strain of guinea pig were exposed to an antigen and treated with mitomycin.

Mitomycin forms cross links between complementary strands of DNA.

These macrophages were then cultured with T cells from each of the strains of guinea pig for 72 hours.

Radioactive thymidine was included in the culture. This molecule will become incorporated into DNA during DNA replication instead of thymine.

The table shows the results of this investigation.

Source of macrophages	Level of radioactive thymidine incorporated into T cells / a.u.	
	T cells from strain 2 guinea pigs	T cells from strain 13 guinea pigs
strain 2	180	13
strain 13	17	59

(i) Explain why the macrophages were treated with mitomycin.

(3)

- (ii) The scientist made a broth culture of *Salmonella* at a concentration of 5×10^3 cells per cm^3 .

Ten hours later the concentration of *Salmonella* was 4×10^6 per cm^3 .

Calculate the exponential growth rate constant (k) for this culture of *Salmonella* using the formula

(3)

$$k = \frac{\log_{10}N_t - \log_{10}N_0}{0.301 \times t}$$

Answer _____

- (iii) In this calculation, the scientist did not allow for the time that the *Salmonella* spent in the lag phase.

Explain the effect that this will have on the calculated value for the growth rate constant.

(3)

Malaria is caused by *Plasmodium*, a pathogenic microorganism.

Vaccination is one of many methods being used to control malaria.

In a study, the effectiveness of a vaccine for malaria was tested.

The following method was used:

- samples of *Plasmodium* were exposed to radiation and used to make a vaccine
- two groups of people, A and B, were given different doses of the vaccine
- a third group of people, C, was used as a control
- one month after vaccination, all three groups of people were exposed to mosquitoes known to contain live *Plasmodium*
- the number of people in each group with malaria was recorded.

The results are shown in the table.

Group	Treatment with the vaccine	Number of people in each group	Number of people with malaria
A	low dose	17	16
B	high dose	6	0
C	control	12	11

(a) (i) Explain why the samples of *Plasmodium* were exposed to radiation.

(2)

.....

.....

.....

.....

.....

.....

(ii) State the control treatment that was given to people in group C.

(1)

.....


.....

4

Glucose and fructose are monosaccharides.

(a) Complete the diagram to show the structure of alpha glucose.

(1)



(b) The makers of sweet tasting drinks use the enzyme glucose isomerase to convert glucose into fructose.


Fructose is a monosaccharide that tastes much sweeter than glucose.

(i) Explain a possible health benefit of converting glucose into fructose for use in sweet tasting drinks.

(2)

(ii) A student investigated the activity of glucose isomerase.

The graph shows the results of this investigation.



Determine the initial rate of the reaction.

(1)

Answer

