AS LEVEL **Mathematics** A






AS LEVEL Specification

MATHEMATICS A

H230 For first assessment in 2018



Registered office: 1 Hills Road Cambridge CB1 2EU

OCR is an exempt charity.

We will inform centres about any changes to the specifications. We will also publish changes on our website. The latest version of our specifications will always be those on our website (ocr.org.uk) and these may differ from printed versions.

Copyright © 2016 OCR. All rights reserved.

Copyright

OCR retains the copyright on all its publications, including the specifications. However, registered centres for OCR are permitted to copy material from this specification booklet for their own internal use.

Oxford Cambridge and RSA is a Company Limited by Guarantee. Registered in England. Registered company number 3484466.





OCR Level 3 Advanced Subsidiary GCE in Mathematics A (H230)

Specification

Contents

1	Wh	y choose an OCR AS Level in Mathematics A?	3
	1a.	Why choose an OCR qualification?	3
	1b.	Why choose an OCR AS Level in Mathematics A?	4
	1c.	What are the key features of this specification?	5
	1d.	How do I find out more information?	6
2	The	e specification overview	7
	2a.	OCR's AS Level in Mathematics A (H230)	7
	2b.	Content of AS Level in Mathematics A (H230)	8
	2c.	Detailed Content of AS Level Mathematics A (H230)	15
	2d.	Prior knowledge, learning and progression	39
3	Ass	sessment of AS Level in Mathematics A	40
	За.	Forms of assessment	40
	3b.	Assessment Objectives (AO)	41
	3c.	Assessment availability	42
	3d.	Retaking the qualification	42
	3e.	Assessment of extended response	42
	3f.	Synoptic assessment	43
	3g.	Calculating qualification results	43
4	Adı	min: what you need to know	44
	4a.	Pre-assessment	44
	4b.	Special consideration	45
	4c.	External assessment arrangements	45
	4d.	Results and certificates	45
	4e.	Post-results services	46
	4f.	Malpractice	46
5	Арј	pendices	47
	5a.	Overlap with other qualifications	47
	5b.	Accessibility	47
	5c.	Mathematical notation	48
	5d.	Mathematical formulae and identities	52

1 Why choose an OCR AS Level in Mathematics A?

1a. Why choose an OCR qualification?

Choose OCR and you've got the reassurance that you're working with one of the UK's leading exam boards. Our new AS Level in Mathematics A course has been developed in consultation with teachers, employers and Higher Education to provide learners with a qualification that's relevant to them and meets their needs.

We're part of the Cambridge Assessment Group, Europe's largest assessment agency and a department of the University of Cambridge. Cambridge Assessment plays a leading role in developing and delivering assessments throughout the world, operating in over 150 countries.

We work with a range of education providers, including schools, colleges, workplaces and other institutions in both the public and private sectors. Over 13,000 centres choose our A Levels, GCSEs and vocational qualifications including Cambridge Nationals and Cambridge Technicals.

Our Specifications

We believe in developing specifications that help you bring the subject to life and inspire your learners to achieve more.

We've created teacher-friendly specifications based on extensive research and engagement with the teaching community. They're designed to be straightforward and accessible so that you can tailor the delivery of the course to suit your needs. We aim to encourage learners to become responsible for their own learning, confident in discussing ideas, innovative and engaged. We provide a range of support services designed to help you at every stage, from preparation through to the delivery of our specifications. This includes:

- A wide range of high-quality creative resources including:
 - Delivery Guides
 - Transition Guides
 - Topic Exploration Packs
 - o Lesson Elements
 - o ...and much more.
- Access to subject specialists to support you through the transition and throughout the lifetimes of the specifications.
- CPD/Training for teachers including events to introduce the qualifications and prepare you for first teaching.
- Active Results our free results analysis service to help you review the performance of individual learners or whole schools.
- ExamCreator our new online past papers service that enables you to build your own test papers from past OCR exam questions.

All AS Level qualifications offered by OCR are accredited by Ofqual, the Regulator for qualifications offered in England. The accreditation number for OCR's AS Level in Mathematics A is QN603/0933/7

1b. Why choose an OCR AS Level in Mathematics A?

OCR AS Level in Mathematics A is a coherent course of study that supports the development of mathematically informed individuals. It encourages learners to think and act mathematically, using mathematical skills and forms of communication to analyse situations within mathematics and elsewhere.

The course provides a broad and widely applicable base of mathematical knowledge, including rigorous treatment of calculus and proof alongside statistics and mechanics, preparing learners for a wide range of destinations in Higher Education and employment.

OCR's AS Level in Mathematics A provides a framework within which a large number of learners continue the subject beyond GCSE (9–1) Mathematics. It supports their mathematical needs across a broad range of other subjects at this level and provides a basis for subsequent quantitative work in a very wide range of higher education courses and in employment. It also supports the study of A Level Mathematics, and AS and A Level Further Mathematics.

OCR's AS Level in Mathematics A builds from GCSE (9–1) Mathematics and introduces calculus and its applications. It emphasises how mathematical ideas are interconnected and how mathematics can be applied to model situations mathematically using algebra and other representations, to help make sense of data, to understand the physical world and to solve problems in a variety of contexts, including social sciences and business. It prepares learners for further study and employment in a wide range of disciplines involving the use of mathematics.

AS Level Mathematics A can be co-taught with the A Level as a separate qualification. It consolidates and develops GCSE Level mathematics and supports transition to higher education or employment in any of the many disciplines that make use of quantitative analysis, including those involving calculus. This qualification is part of a wide range of OCR mathematics qualifications, which allows progression from Entry Level Certificate through GCSE to Core Maths, AS and A Level.

We appreciate that one size doesn't fit all so we offer two suites of qualifications in mathematics and further mathematics.

Mathematics A builds on our existing popular course. We've based the redevelopment of our current suite around an understanding of what works well in centres and have updated areas of content and assessment where stakeholders have identified that improvements could be made. We've undertaken a significant amount of consultation through our mathematics forums (which include representatives from learned societies, HE, teaching and industry) and through focus groups with teachers.

Mathematics B (MEI) has been developed in collaboration with Mathematics in Education and Industry, and is based on the existing suite of qualifications assessed by OCR. This is a well-established partnership which provides a firm foundation for curriculum and qualification development. MEI is a long established, independent curriculum development body; in developing Mathematics B (MEI), MEI has consulted with teachers and representatives from Higher Education to decide how best to meet the long term needs of learners.

All of our specifications have been developed with subject and teaching experts. We have worked in close consultation with teachers and representatives from Higher Education (HE).

Aims and learning outcomes

OCR's AS Level in Mathematics A will encourage learners to:

- understand mathematics and mathematical processes in a way that promotes confidence, fosters enjoyment and provides a strong foundation for progress to further study
- extend their range of mathematical skills and techniques
- understand coherence and progression in mathematics and how different areas of mathematics are connected
- apply mathematics in other fields of study and be aware of the relevance of mathematics to the world of work and to situations in society in general
- use their mathematical knowledge to make logical and reasoned decisions in solving problems both within pure mathematics and in a variety of contexts, and communicate the mathematical rationale for these decisions clearly
- reason logically and recognise incorrect reasoning
- generalise mathematically
- construct mathematical proofs
- use their mathematical skills and techniques to solve challenging problems which require them to decide on the solution strategy

- recognise when mathematics can be used to analyse and solve a problem in context
- represent situations mathematically and understand the relationship between problems in context and mathematical models that may be applied to solve them
- draw diagrams and sketch graphs to help explore mathematical situations and interpret solutions
- make deductions and inferences and draw conclusions by using mathematical reasoning
- interpret solutions and communicate their interpretation effectively in the context of the problem
- read and comprehend mathematical arguments, including justifications of methods and formulae, and communicate their understanding
- read and comprehend articles concerning applications of mathematics and communicate their understanding
- use technology such as calculators and computers effectively and recognise when such use may be inappropriate
- take increasing responsibility for their own learning and the evaluation of their own mathematical development.

1c. What are the key features of this specification?

The key features of OCR's AS Level in Mathematics A for you and your learners are:

- a specification developed by teachers specifically for teachers, laying out the content clearly in terms of topic area, showing clear progression through the course and supporting co-teaching with A Level Mathematics A and AS Level Further Mathematics A,
- a simple assessment model featuring two papers of equal length with clear division of applied content,
- a team of subject specialists, who can be contacted by centres for subject and assessment queries.

This specification is:

Worthwhile

- Research, international comparisons and engagement with both teachers and the wider education community have been used to enhance the reliability, validity and appeal of our assessment tasks in mathematics.
- It will encourage the teaching of interesting mathematics, aiming for mastery leading to positive exam results.

Learner-focused

- OCR's specification and assessment will consist of mathematics fit for the modern world and presented in authentic contexts.
- It will allow learners to develop mathematical independence built on a sound base of conceptual learning and understanding.
- OCR will target support and resources to develop fluency, reasoning and problem solving skills.
- It will be a springboard for future progress and achievement in employment and in a variety of subjects in Higher Education.

Teacher-centred

 OCR will provide clear communication and an extensive teacher support package, including high-quality flexible resources, particularly for the new AS Level Mathematics subject areas and to support the use of technology, proof, modelling and problem solving.

- OCR's support and resources will focus on empowering teachers, exploring teaching methods and classroom innovation alongside more direct contentbased resources.
- OCR's assessment will be solid and dependable, recognising positive achievement in candidate learning and ability.

Dependable

- OCR's high-quality assessments are backed up by sound educational principles and a belief that the utility, richness and power of mathematics should be made evident and accessible to all learners.
- An emphasis on learning and understanding mathematical concepts underpinned by a sound, reliable and valid assessment.

1d. How do I find out more information?

If you are already using OCR specifications you can contact us at: www.ocr.org.uk

If you are not already a registered OCR centre then you can find out more information on the benefits of becoming one at: www.ocr.org.uk

If you are not yet an approved centre and would like to become one go to: www.ocr.org.uk Want to find out more?

Get in touch with one of OCR's Subject Specialists:

Email: maths@ocr.org.uk

Customer Contact Centre: 01223 553998

Teacher support: <u>www.ocr.org.uk</u>

2a. OCR's AS Level in Mathematics A (H230)

Learners must take both components 01 and 02 to be awarded OCR's AS Level in Mathematics A.

The subject content is divided into three areas: Pure Mathematics, Statistics and Mechanics. The Overarching Themes must be applied along with associated mathematical thinking and understanding, across the whole of the subject content. See section 2b.

Content Overview	Assessment O	verview
Component 01 assesses content from Pure Mathematics and Statistics, and all of the Overarching Themes.	Paper 1: Pure Mathematics and Statistics (01) 75 marks 1 hour 30 minutes Written paper	50% of total AS Level
Component 02 assesses content from Pure Mathematics and Mechanics, and all of the Overarching Themes.	Paper 2: Pure Mathematics and Mechanics (02) 75 marks 1 hour 30 minutes Written paper	50% of total AS Level

This AS Level qualification builds on the skills, knowledge and understanding set out in the whole GCSE (9–1) subject content for mathematics for first teaching from 2015. All of this content is assumed, but will only be explicitly assessed where it appears in this specification.

The content is arranged by topic area and exemplifies the level of demand at AS Level. Statements have a unique reference code. For ease of comparison, planning and coteaching the content statements in this specification have reference codes corresponding to the same statements in 'Stage 1' of OCR's A Level in Mathematics A (H240). The content in these statements is identical, but the exemplification may differ as appropriate to the qualification. Any gaps in the alphabetic referencing in this specification therefore refer to statements in similar topic areas in 'Stage 2' of OCR's A Level in Mathematics A (H240).

The content is separated into three areas: Pure Mathematics, Statistics and Mechanics. However, links should be made between pure mathematics and each of statistics and mechanics and centres are free to teach the content in the order most appropriate to their learners' needs.

Sections 1, 2 and 3 cover the pure mathematics, statistics and mechanics content of AS Level Mathematics. In our AS Level Further Mathematics specification we have continued this numbering to sections 4, 5, 6, 7 and 8 for the pure core, statistics, mechanics, discrete mathematics and additional pure sections in order to facilitate the teaching of both qualifications.

The italic text in the content statements provides examples and further detail of the requirements of this specification. All exemplars contained in the specification under the heading "e.g." are for illustration only and do not constitute an exhaustive list. The heading "i.e." is used to denote a complete list. For the avoidance of doubt an italic statement in square brackets indicates content which will not be tested.

The expectation is that some assessment items will require learners to use two or more content statements without further guidance. Learners are expected to have explored the connections between different areas of the specification.

Learners are expected to be able to use their knowledge to reason mathematically and solve problems both within mathematics and in context. Content that is covered by any statement may be required in problem solving, modelling and reasoning tasks even if that is not explicitly stated in the statement.

The large data set

The large data set (LDS) is a pre-released set or sets of data that should be used as teaching material throughout the course. This data set will be made available on the OCR website, along with a document giving the source(s) and associate metadata, and will remain for the life of the specification, unless the review process identifies a necessary change. Any change to the data set will be made before the beginning of any given one year course and centres will be notified a year in advance.

The purpose of the large data set is that learners experience working with real data in the classroom and explore this data using appropriate technology. It is principally intended to enrich the teaching and learning of statistics, through which learners will become familiar with the context and main features of the data.

To support the teaching and learning of statistics with the large data set, we suggest that the following activities are carried out during the course:

1. Exploratory data analysis: Learners should explore the LDS with both quantitative and visual techniques to develop insight into underlying patterns and structures, suggest hypotheses to test and to provide a reason for further data collection. This will include the use of the following techniques.

- Creating diagrams: Learners should use spreadsheets or statistical graphing tools to create diagrams from data.
- Calculations: Learners should use appropriate technology to perform statistical calculations.
- Investigating correlation: Learners should use appropriate technology to explore correlation between variables in the LDS.

2. Modelling: Learners should use the LDS to provide estimates of probabilities for modelling and to explore possible relationships between variables.

3. Repeated sampling: Learners should use the LDS as a model for the population to perform repeated sampling experiments to investigate variability and the effect of sample size. They should compare the results from different samples with each other and with the results from the whole LDS.

4. Hypothesis testing: Learners should use the LDS as the population against which to test hypotheses based on their own sampling.

Relation of the large data set to the examination

In the assessment it will be assumed that learners are familiar with the contexts covered by the large data set, and any related metadata, and that they have used a spreadsheet or other statistical software when working with the data in the classroom.

Questions will be set in component 01 that give a material advantage to learners who have studied, and are familiar with, the large data set.

They might include questions/tasks which:

- assume familiarity with the terminology and contexts of the data, and do not explain them in a way which provides learners who have not studied the prescribed data set the same opportunities to access marks as learners who have studied them;
- use summary statistics or selected data from, or statistical diagrams based on, the prescribed large data set – these might be provided within the question/task, or as stimulus materials;
- are based on samples related to the contexts in the prescribed large data set, where learners' work with the prescribed large data sets will help them understand the background context; and/or
- require learners to interpret data in ways which would be too demanding in an unfamiliar context.

Knowledge of the actual data within the data set will not be required in the examination, nor will there be a requirement to enter large amounts of data into a calculator during the examination.

Learners will NOT have a printout of the large data set available to them in the examination but selected data or summary statistics from the data set may be provided within the examination paper.

Use of technology

It is assumed that learners will have access to appropriate technology when studying this course such as mathematical and statistical graphing tools and spreadsheets. When embedded in the mathematics classroom, the use of technology can facilitate the visualisation of certain concepts and deepen learners' overall understanding. The primary use of technology at this level is to offload computation and visualisation, to enable learners to investigate and generalise from patterns. Learners are not expected to be familiar with any particular software, but they are expected to be able to use their calculator for any function it can perform, when appropriate.

To support the teaching and learning of mathematics using technology, we suggest that the following activities are carried out during the course:

1. Graphing tools: Learners should use graphing software to investigate the relationships between graphical and algebraic representations. e.g. understanding the effect of changing the

parameter k in the graphs of $y = \frac{1}{r} + k$ or

 $y = x^2 - kx$.

e.g. investigating tangents to curves.

2. Spreadsheets: Learners should use spreadsheets to generate tables of values for functions, to investigate functions numerically and as an example of applying algebraic notation. Learners should also use spreadsheet software to investigate numerical methods for solving equations and for modelling in statistics and mechanics.

3. Statistics: Learners should use spreadsheets or statistical software to explore data sets and statistical models including generating tables and diagrams, and performing standard statistical calculations. 4. Mechanics: Learners should use graphing and/or spreadsheet software for modelling, including kinematics and projectiles.

5. Computer Algebra System (CAS): Learners could use CAS software to investigate algebraic relationships, including derivatives and integrals, and as an investigative problem solving tool. This is best done in conjunction with other software such as graphing tools and spreadsheets.

Use of calculators

Learners are permitted to use a scientific or graphical calculator for all papers. Calculators are subject to the rules in the document Instructions for Conducting Examinations, published annually by JCQ (<u>www.jcq.org.uk</u>).

It is expected that calculators available in the assessment will include the following features:

- an iterative function such as an ANS key,
- the ability to compute summary statistics and access probabilities from the binomial and normal distributions.

Allowable calculators can be used for any function they can perform.

When using calculators, candidates should bear in mind the following.

 Candidates are advised to write down explicitly any expressions, including integrals, that they use the calculator to evaluate.
 Candidates are advised to write down the values of any parameters and variables that they input into the calculator. Candidates are not expected to write down data transferred from question paper to calculator.

3. Correct mathematical notation (rather than "calculator notation") should be used; incorrect notation may result in loss of marks.

Formulae

Learners will be given formulae in each assessment on page 2 of the question paper. See section 5d for a list of these formulae.

Simplifying expressions

It is expected that learners will simplify algebraic and numerical expressions when giving their final answers, even if the examination question does not explicitly ask them to do so. For example

•
$$80\frac{\sqrt{3}}{2}$$
 should be written as $40\sqrt{3}$,

• $\frac{1}{2}(1+2x)^{-\frac{1}{2}} \times 2$ should be written as

either $(1+2x)^{-\frac{1}{2}}$ or $\frac{1}{\sqrt{1+2x}}$,

- $\ln 2 + \ln 3 \ln 1$ should be written as $\ln 6$,
- the equation of a straight line should be given in the form y = mx + c or

ax + by = c unless otherwise stated.

The meanings of some instructions and words used in this specification

Exact

An exact answer is one where numbers are not given in rounded form. The answer will often contain an irrational number such as

 $\sqrt{3}$, e or π and these numbers should be given in that form when an exact answer is required.

The use of the word 'exact' also tells learners that rigorous (exact) working is expected in the answer to the question.

e.g. Find the exact solution of $\ln x = 2$.

The correct answer is e^2 and not 7.389056. e.g. Find the exact solution of 3x = 2.

The correct answer is $x = \frac{2}{3}$ or $x = 0.6^{\circ}$, not $x = 0.67^{\circ}$ or similar.

Show that

Learners are given a result and have to show that it is true. Because they are given the result, the explanation has to be sufficiently detailed to cover every step of their working. e.g. Show that the curve $y = x \ln x$ has a

stationary point
$$\left(\frac{1}{e}, -\frac{1}{e}\right)$$
.

Determine

This command word indicates that justification should be given for any results found, including working where appropriate.

Give, State, Write down

These command words indicate that neither working nor justification is required.

In this question you must show detailed reasoning.

When a question includes this instruction learners must give a solution which leads to a conclusion showing a detailed and complete analytical method. Their solution should contain sufficient detail to allow the line of their argument to be followed. This is not a restriction on a learner's use of a calculator when tackling the question, e.g. for checking an answer or evaluating a function at a given point, but it is a restriction on what will be accepted as evidence of a complete method. In these examples variations in the structure of the solutions are possible, for example using a different base for the logarithms in example 1, and different intermediate steps may be given.

Example 1:

Use logarithms to solve the equation

 $3^{2x+1} = 4^{100}$, giving your answer correct to 3 significant figures.

The answer is x = 62.6, but the learner *must* include the steps $\log 3^{2x+1} = \log 4^{100}$,

 $(2x+1)\log 3 = \log 4^{100}$ and an intermediate evaluation step, for example

2x+1=126.18... Using the solve function on a calculator to skip one of these steps would not result in a complete analytical method.

Example 2:

Evaluate $\int_{0}^{1} x^{3} + 4x^{2} - 1 dx$.

The answer is $\frac{7}{12}$, but the learner *must*

include at least $\left[\frac{1}{4}x^4 + \frac{4}{3}x^3 - x\right]_0^1$ and the substitution $\frac{1}{4} + \frac{4}{3} - 1$. Just writing down the answer using the definite integral function on

a calculator would therefore not be awarded any marks.

Example 3:

Solve the equation $3\sin 2x = \cos x$ for

 $0^\circ \leq x \leq 180^\circ$.

The answer is $x = 9.59^{\circ}$, 90° or 170° (to 3sf), but the learner *must* include ...

 $6\sin x \cos x - \cos x = 0, \ \cos x (6\sin x - 1) = 0,$

 $\cos x = 0$ or $\sin x = \frac{1}{6}$.

A graphical method which investigated the intersections of the curves $y = 3 \sin 2x$ and

 $y = \cos x$ would be acceptable to find the solution at 90° if carefully verified, but the other two solutions must be found analytically, not numerically.

Hence

When a question uses the word 'hence', it is an indication that the next step should be based on what has gone before. The intention is that learners should start from the indicated statement.

e.g. You are given that

 $f(x) = 2x^3 - x^2 - 7x + 6$. Show that (x-1)

is a factor of f(x). Hence find the three factors of f(x).

Hence or otherwise

This is used when there are multiple ways of answering a given question. Learners starting from the indicated statement may well gain some information about the solution from doing so, and may already be some way towards the answer. The command phrase is used to direct learners towards using a particular piece of information to start from or to a particular method. It also indicates to learners that valid alternate methods exist which will be given full credit, but that they may be more time-consuming or complex.

e.g. Show that $(\cos x + \sin x)^2 = 1 + \sin 2x$

for all x. Hence or otherwise, find the

derivative of $(\cos x + \sin x)^2$.

You may use the result

When this phrase is used it indicates a given result that learners would not normally be expected to know, but which may be useful in answering the question.

The phrase should be taken as permissive; use of the given result is not required.

Plot

Learners should mark points accurately on the graph in their printed answer booklet. They will either have been given the points or have had to calculate them. They may also need to join them with a curve or a straight line, or draw a line of best fit through them. e.g. Plot this additional point on the scatter diagram.

Sketch

Learners should draw a diagram, not necessarily to scale, showing the main features of a curve. These are likely to include at least some of the following.

- Turning points
- Asymptotes
- Intersection with the *y*-axis
- Intersection with the *x*-axis
- Behaviour for large x (+ or –)

Any other important features should also be shown.

e.g. Sketch the curve with equation

$$y = \frac{1}{(x-1)}$$

Draw

Learners should draw to an accuracy appropriate to the problem. They are being asked to make a sensible judgement about this.

e.g. Draw a diagram showing the forces acting on the particle.

e.g. Draw a line of best fit for the data.

Other command words

Other command words, for example "explain" or "calculate", will have their ordinary English meaning.

Overarching Themes

These Overarching Themes should be applied, along with associated mathematical thinking and understanding, across the whole of the detailed content in this specification. These statements are intended to direct the teaching and learning of AS Level Mathematics, and they will be reflected in assessment tasks.

OT1 Mathematical argument, language and proof

	Knowledge/Skill
OT1.1 Construct and present mathematical arguments through appropriate use of diagrams; sketching graphs; logical deduction; precise statements involvin correct use of symbols and connecting language, including: constant, coefficient, expression, equation, function, identity, index, term, variable	
OT1.2	Understand and use mathematical language and syntax as set out in the content
OT1.3	Understand and use language and symbols associated with set theory, as set out in the content
	Apply to solutions of inequalities
OT1.4	Not Applicable to AS Mathematics
OT1.5	Comprehend and critique mathematical arguments, proofs and justifications of methods and formulae, including those relating to applications of mathematics

OT2 Mathematical problem solving

	Knowledge/Skill
OT2.1	Recognise the underlying mathematical structure in a situation and simplify and abstract appropriately to enable problems to be solved
OT2.2	Construct extended arguments to solve problems presented in an unstructured form, including problems in context
OT2.3	Interpret and communicate solutions in the context of the original problem
OT2.4	Not Applicable to AS Mathematics.
OT2.5	Evaluate, including by making reasoned estimates, the accuracy or limitations of solutions
OT2.6	Understand the concept of a mathematical problem solving cycle, including specifying the problem, collecting information, processing and representing information and interpreting results, which may identify the need to repeat the cycle
OT2.7	Understand, interpret and extract information from diagrams and construct mathematical diagrams to solve problems, including in mechanics

OT3 Mathematical modelling

	Knowledge/Skill
OT3.1	Translate a situation in context into a mathematical model, making simplifying assumptions
OT3.2	Use a mathematical model with suitable inputs to engage with and explore situations (for a given model or a model constructed or selected by the student)
OT3.3	Interpret the outputs of a mathematical model in the context of the original situation (for a given model or a model constructed or selected by the student)
OT3.4	Understand that a mathematical model can be refined by considering its outputs and simplifying assumptions; evaluate whether the model is appropriate
OT3.5	Understand and use modelling assumptions

1 - Pure Mathematics

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.01 Proof			
1.01a	Proof	a) Understand and be able to use the structure of mathematical proof, proceeding from given assumptions through a series of logical steps to a conclusion.	MA1
		In particular, learners should use methods of proof including proof by deduction and proof by exhaustion.	
1.01b		b) Understand and be able to use the logical connectives \equiv , \Rightarrow , \Leftrightarrow .	
		Learners should be familiar with the language associated with the logical connectives: "congruence", "ifthen" and "if and only if" (or "iff").	
1.01c		c) Be able to show disproof by counter example.	
		Learners should understand that this means that, given a statement of the form "if $P(x)$ is true then $Q(x)$ is true", finding a single x for which $P(x)$ is true but $Q(x)$ is false is to offer a disproof by counter example.	
		Questions requiring a proof will be set on content with which the learner is expected to be familiar e.g. through study of GCSE (9–1) or AS Level Mathematics.	
		Learners are expected to understand and be able to use terms such as "integer", "real", "rational" and "irrational".	

Subject Content	AS learners should	DfE Ref.
ora and Functions		
Indices	a) Understand and be able to use the laws of indices for all rational exponents.	MB1
	Includes negative and zero indices.	
	Problems may involve the application of more than one of the following laws:	
	$x^{-a} = \frac{1}{x^a}, \ x^{\frac{m}{n}} = \sqrt[n]{x^m}, \ x^0 = 1.$	
Surds	b) Be able to use and manipulate surds, including rationalising the denominator.	MB2
	Learners should understand and use the equivalence of surd and index notation.	
Simultaneous equations	c) Be able to solve simultaneous equations in two variables by elimination and by substitution, including one linear and one quadratic equation.	MB4
	The equations may contain brackets and/or fractions.	
	e.a.	
	$y = 4 - 3x$ and $y = x^2 + 2x - 2$	
	$2xy + y^2 = 4$ and $2x + 3y = 9$	
	ora and Functions Indices Surds Simultaneous	Dra and Functions Indices a) Understand and be able to use the laws of indices for all rational exponents. Includes negative and zero indices. Problems may involve the application of more than one of the following laws: $x^a \times x^b = x^{a+b}, x^a + x^b = x^{a-b}, (x^a)^b = x^{ab}$ $x^{-a} = \frac{1}{x^a}, x^{\frac{a}{a}} = \sqrt[q]{x^m}, x^0 = 1.$ Surds b) Be able to use and manipulate surds, including rationalising the denominator. Learners should understand and use the equivalence of surd and index notation. Simultaneous equations c) Be able to solve simultaneous equations in two variables by elimination and by substitution, including one linear and one quadratic equation. The equations may contain brackets and/or fractions. e.g. e.g. $y = 4 - 3x$ and $y = x^2 + 2x - 2$

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.02d	Quadratic functions	d) Be able to work with quadratic functions and their graphs, and the discriminant (D or Δ) of a quadratic function, including the conditions for real and repeated roots.	MB3
		i.e. Use the conditions:	
		1. $b^2 - 4ac > 0 \Rightarrow$ real distinct roots	
		2. $b^2 - 4ac = 0 \Rightarrow$ repeated roots	
		3. $b^2 - 4ac < 0 \Rightarrow$ roots are not real	
		to determine the number and nature of the roots of a quadratic equation and relate the results to a graph of the quadratic function.	
1.02e		e) Be able to complete the square of the quadratic polynomial $ax^2 + bx + c$.	
		e.g. Writing $y = ax^2 + bx + c$ in the form $y = a(x + p)^2 + q$ in order to find the line of symmetry $x = -p$, the turning	
		point $(-p, q)$ and to determine the nature of the roots of the equation $ax^2 + bx + c = 0$ for example	
		$2(x+3)^2+4=0$ has no real roots because $4>0$.	
1.02f		f) Be able to solve quadratic equations including quadratic equations in a function of the unknown.	
		e.g. $x^4 - 5x^2 + 6 = 0$, $x^{\frac{2}{3}} - 5x^{\frac{1}{3}} + 4 = 0$ or	
		$\frac{5}{\left(2x-1\right)^2} - \frac{10}{2x-1} = 1.$	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.02g	Inequalities	g) Be able to solve linear and quadratic inequalities in a single variable and interpret such inequalities graphically, including inequalities with brackets and fractions.	MB5
		e.g. $10 < 3x + 1 < 16$, $(2x + 5)(x + 3) > 0$.	
		[Quadratic equations with complex roots are excluded.]	
		h) Be able to express solutions through correct use of 'and' and 'or', or through set notation.	
1.02h		Familiarity is expected with the correct use of set notation for intervals, e.g.	
		$\{x:x>3\}, \{x:-2 \le x \le 4\}, \{x:x>3\} \cup \{x:-2 \le x \le 4\}, \{x:x>3\} \cap \{x:-2 \le x \le 4\}, \emptyset.$	
		Familiarity is expected with interval notation, e.g.	
		$(2, 3), [2, 3) \text{ and } [2, \infty).$	
1.02i		i) Be able to represent linear and quadratic inequalities such as $y > x+1$ and $y > ax^2 + bx + c$ graphically.	
1.02j	Polynomials	j) Be able to manipulate polynomials algebraically.	MB6
		Includes expanding brackets, collecting like terms, factorising, simple algebraic division and use of the factor theorem.	
		Learners should be familiar with the factor theorem as:	
		1. $f(a) = 0 \Leftrightarrow (x-a)$ is a factor of $f(x)$;	
		2. $f\left(\frac{b}{a}\right) = 0 \Leftrightarrow (ax - b)$ is a factor of $f(x)$.	
		They should be able to use the factor theorem to find a linear factor of a polynomial normally of degree ≤ 3 . They may also be required to find factors of a polynomial, using any valid method, e.g. by inspection.	
		Learners should be familiar with the terms "quadratic", "cubic" and "parabola".	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.02m	Curve sketching	m) Understand and be able to use graphs of functions.	MB7
		The difference between plotting and sketching a curve should be known. See section 2b.	
1.02n		n) Be able to sketch curves defined by simple equations including polynomials.	
		e.g. Familiarity is expected with sketching a polynomial of degree ≤ 4 in factorised form, including repeated roots.	
		Sketches may require the determination of stationary points and, where applicable, distinguishing between them.	
1.020		o) Be able to sketch curves defined by $y = \frac{a}{x}$ and $y = \frac{a}{x^2}$ (including their vertical and horizontal asymptotes).	
1.02p		p) Be able to interpret the algebraic solution of equations graphically.	
1.02q		q) Be able to use intersection points of graphs to solve equations.	
		Intersection points may be between two curves one or more of which may be a polynomial, a trigonometric, an exponential or a reciprocal graph.	
1.02r		r) Understand and be able to use proportional relationships and their graphs.	
		i.e. Understand and use different proportional relationships and relate them to linear, reciprocal or other graphs of variation.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
	Functions	AS learners should understand and be able to apply functions and function notation in an informal sense in the context of the factor theorem (1.02j), transformations of graphs (1.02w), differentiation (section 1.07) and the fundamental theorem of calculus (1.08a).	MB8
1.02w	Graph	w) Understand the effect of simple transformations on the graph of $y = f(x)$ including sketching associated graphs,	MB9
	transformations	describing transformations and finding relevant equations: $y = af(x)$, $y = f(x) + a$, $y = f(x+a)$ and $y = f(ax)$, for any real a .	
		Only single transformations will be requested.	
		Translations may be specified by a two-dimensional column vector.	
1.03 Coord	dinate Geometry in the	x-y Plane	
1.03a	Straight lines	a) Understand and be able to use the equation of a straight line, including the forms $y = mx + c$, $y - y_1 = m(x - x_1)$ and $ax + by + c = 0$.	MC1
		Learners should be able to draw a straight line given its equation and to form the equation given a graph of the line, the gradient and one point on the line, or at least two points on the line.	
		Learners should be able to use straight lines to find: 1. the coordinates of the midpoint of a line segment joining two points, 2. the distance between two points and 3. the point of intersection of two lines.	
1.03b		b) Be able to use the gradient conditions for two straight lines to be parallel or perpendicular.	
		i.e. For parallel lines $m_1 = m_2$ and for perpendicular lines $m_1 m_2 = -1$.	
1.03c		c) Be able to use straight line models in a variety of contexts.	
		These problems may be presented within realistic contexts including average rates of change.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.03d	Circles	d) Understand and be able to use the coordinate geometry of a circle including using the equation of a circle in the form $(x-a)^2 + (y-b)^2 = r^2$.	MC2
		Learners should be able to draw a circle given its equation or to form the equation given its centre and radius.	
1.03e		e) Be able to complete the square to find the centre and radius of a circle.	
1.03f		 f) Be able to use the following circle properties in the context of problems in coordinate geometry: 1. the angle in a semicircle is a right angle, 2. the perpendicular from the centre of a circle to a chord bisects the chord, 3. the radius of a circle at a given point on its circumference is perpendicular to the tangent to the circle at that point. 	
		Learners should also be able to investigate whether or not a line and a circle or two circles intersect.	
1.04 Sequen	ces and Series	•	•
1.04a	Binomial expansion	a) Understand and be able to use the binomial expansion of $(a+bx)^n$ for positive integer n and the notations $n!$ and nC_r , ${}_nC_r$ or $\binom{n}{r}$, with ${}^nC_0 = {}^nC_n = 1$.	MD1
		e.g. Find the coefficient of the x^3 term in the expansion of $(2-3x)^7$.	
		Learners should be able to calculate binomial coefficients. They should also know the relationship of the binomial coefficients to Pascal's triangle and their use in a binomial expansion.	
1.04b		They should also know that $0!=1$.	
		b) Understand and know the link to binomial probabilities.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.05 Trigo	nometry		<u> </u>
1.05a	sin, cos and tan for all arguments	a) Understand and be able to use the definitions of sine, cosine and tangent for all arguments.	ME1
1.05b	Sine and cosine	b) Understand and be able to use the sine and cosine rules.	
	rules	Questions may include the use of bearings and require the use of the ambiguous case of the sine rule.	
1.05c		c) Understand and be able to use the area of a triangle in the form $\frac{1}{2}ab\sin C$.	
1.05f	Graphs of the basic trigonometric functions	f) Understand and be able to use the sine, cosine and tangent functions, their graphs, symmetries and periodicities.	ME3
	Exact values of	Includes knowing and being able to use exact values of $\sin\theta$ and $\cos\theta$ for $\theta = 0^{\circ}, 30^{\circ}, 45^{\circ}, 60^{\circ}, 90^{\circ}, 180^{\circ}$ and	
	trigonometric functions	multiples thereof and exact values of $\tan \theta$ for $\theta = 0^{\circ}, 30^{\circ}, 45^{\circ}, 60^{\circ}, 180^{\circ}$ and multiples thereof.	
1.05j	Trigonometric identities	j) Understand and be able to use $\tan \theta \equiv \frac{\sin \theta}{\cos \theta}$ and $\sin^2 \theta + \cos^2 \theta \equiv 1$.	ME5
		In particular, these identities may be used in solving trigonometric equations and simple trigonometric proofs.	
1.050	Trigonometric equations	o) Be able to solve simple trigonometric equations in a given interval, including quadratic equations in $\sin\theta$, $\cos\theta$ and $\tan\theta$ and equations involving multiples of the unknown angle.	ME7
		e.g.	
		$\sin\theta = 0.5$ for $0 \le \theta < 360^{\circ}$	
		$6\sin^2\theta + \cos\theta - 4 = 0$ for $0 \le \theta < 360^\circ$	
		$\tan 3\theta = -1$ for $-180^\circ < \theta < 180^\circ$	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.06 Expo	nentials and Logarithms	L S	
1.06a	Properties of the exponential function	 a) Know and use the function a^x and its graph, where a is positive. Know and use the function e^x and its graph. <i>Examples may include the comparison of two population models or models in a biological or financial context.</i> 	MF1
1.06b	Gradient of e ^{kx}	b) Know that the gradient of e^{kx} is equal to ke^{kx} and hence understand why the exponential model is suitable in many applications.	MF2
1.06c	Properties of the logarithm	c) Know and use the definition of $\log_a x$ (for $x > 0$) as the inverse of a^x (for all x), where a is positive.	MF3
		Learners should be able to convert from index to logarithmic form and vice versa as $a = b^c \Leftrightarrow c = \log_b a$.	
		The values $\log_a a = 1$ and $\log_a 1 = 0$ should be known.	
1.06d		d) Know and use the function $\ln x$ and its graph.	
1.06e		e) Know and use $\ln x$ as the inverse function of e^x .	
		e.g. In solving equations involving logarithms or exponentials.	
		The values $\ln e = 1$ and $\ln 1 = 0$ should be known.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.06f	Laws of logarithms	f) Understand and be able to use the laws of logarithms:	MF4
		1. $\log_a x + \log_a y = \log_a (xy)$	
		2. $\log_a x - \log_a y = \log_a \left(\frac{x}{y}\right)$	
		3. $k \log_a x = \log_a x^k$	
		(including, for example, $k = -1$ and $k = -\frac{1}{2}$).	
		Learners should be able to use these laws in solving equations and simplifying expressions involving logarithms.	
		[Change of base is excluded.]	
1.06g	Equations involving exponentials	g) Be able to solve equations of the form $a^x = b$ for $a > 0$.	MF5
		Includes solving equations which can be reduced to this form such as $2^x = 3^{2x-1}$, either by reduction to the form	
		$a^x = b$ or by taking logarithms of both sides.	
1.06h	Reduction to linear form	h) Be able to use logarithmic graphs to estimate parameters in relationships of the form $y = ax^n$ and $y = kb^x$, given data for x and y.	MF6
		Learners should be able to reduce equations of these forms to a linear form and hence estimate values of a and n , or k and b by drawing graphs using given experimental data and using appropriate calculator functions.	
1.06i	Modelling using exponential	i) Understand and be able to use exponential growth and decay and use the exponential function in modelling.	MF7
	functions	Examples may include the use of e in continuous compound interest, radioactive decay, drug concentration decay and exponential growth as a model for population growth. Includes consideration of limitations and refinements of exponential models.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.07 Diffe	rentiation		
1.07a	Gradients	a) Understand and be able to use the derivative of $f(x)$ as the gradient of the tangent to the graph of $y = f(x)$ at a general point (x, y) .	MG1
1.07b		b) Understand and be able to use the gradient of the tangent at a point where $x = a$ as: 1. the limit of the gradient of a chord as x tends to a 2. a rate of change of y with respect to x .	
		Learners should be able to use the notation $\frac{dy}{dx}$ to denote the rate of change of y with respect to x.	
		Learners should be able to use the notations $f'(x)$ and $\frac{dy}{dx}$ and recognise their equivalence.	
1.07c		c) Understand and be able to sketch the gradient function for a given curve.	
1.07d		d) Understand and be able to find second derivatives.	
		Learners should be able to use the notations $f''(x)$ and $\frac{d^2y}{dx^2}$ and recognise their equivalence.	
1.07e		e) Understand and be able to use the second derivative as the rate of change of gradient.	
		e.g. For distinguishing between maximum and minimum points.	
1.07g	Differentiation from first principles	g) Be able to show differentiation from first principles for small positive integer powers of x .	MG1
		In particular, learners should be able to use the definition $f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$ including the notation. [Integer powers greater than 4 are excluded.]	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.07i	Differentiation of standard functions	i) Be able to differentiate x^n , for rational values of <i>n</i> , and related constant multiples, sums and differences.	MG2
1.07m	Tangents, normals, stationary points, increasing and	m) Be able to apply differentiation to find the gradient at a point on a curve and the equations of tangents and normals to a curve.	MG3
1.07n	decreasing functions	n) Be able to apply differentiation to find and classify stationary points on a curve as either maxima or minima.	
		Classification may involve use of the second derivative or first derivative or other methods.	
1.070		o) Be able to identify where functions are increasing or decreasing.	
		<i>i.e.</i> To be able to use the sign of $\frac{dy}{dx}$ to determine whether the function is increasing or decreasing.	
1.08 Integr	ation		
1.08a	Fundamental theorem of calculus	a) Know and be able to use the fundamental theorem of calculus.	MH1
		i.e. Learners should know that integration may be defined as the reverse of differentiation and be able to apply the	
		result that $\int f(x)dx = F(x) + c \Leftrightarrow f(x) = \frac{d}{dx}(F(x))$, for sufficiently well-behaved functions.	
		Includes understanding and being able to use the terms indefinite and definite when applied to integrals.	
1.08b	Indefinite integrals	b) Be able to integrate x^n where $n \neq -1$ and related sums, differences and constant multiples.	MH2
		Learners should also be able to solve problems involving the evaluation of a constant of integration e.g. to find the equation of the curve through $(-1,2)$ for which $\frac{dy}{dx} = 2x + 1$.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.08d	Definite integrals and areas	d) Be able to evaluate definite integrals.	MH3
1.08e		e) Be able to use a definite integral to find the area between a curve and the <i>x</i> -axis.	
		This area is defined to be that enclosed by a curve, the x-axis and two ordinates. Areas may be included which are partly below and partly above the x-axis, or entirely below the x-axis.	
1.10 Vecto	ors		
1.10a	Vectors	a) Be able to use vectors in two dimensions.	MJ1
		<i>i.e.</i> Learners should be able to use vectors expressed as $x\mathbf{i} + y\mathbf{j}$ or as a column vector $\begin{pmatrix} x \\ y \end{pmatrix}$ and use vector notation appropriately either as \overrightarrow{AB} or \mathbf{a} .	
		Learners should know the difference between a scalar and a vector, and should distinguish between them carefully when writing by hand.	
1.10c	Magnitude and direction of vectors	c) Be able to calculate the magnitude and direction of a vector and convert between component form and magnitude/direction form.	MJ2
		Learners should know that the modulus of a vector is its magnitude and the direction of a vector is given by the angle the vector makes with a horizontal line parallel to the positive x-axis. The direction of a vector will be taken to be in the interval $\begin{bmatrix} 0^\circ, 360^\circ \end{bmatrix}$.	
		Includes use of the notation $ \mathbf{a} $ for the magnitude of \mathbf{a} and $\left \overrightarrow{OA}\right $ for the magnitude of \overrightarrow{OA} .	
		Learners should be able to calculate the magnitude of a vector $\begin{pmatrix} x \\ y \end{pmatrix}$ as $\sqrt{x^2 + y^2}$ and its direction by $\tan^{-1}\left(\frac{y}{x}\right)$.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
1.10d	Basic operations on vectors	d) Be able to add vectors diagrammatically and perform the algebraic operations of vector addition and multiplication by scalars, and understand their geometrical interpretations.	MJ3
		i.e. Either a scaling of a single vector or a displacement from one position to another by adding one or more vectors, often in the form of a triangle of vectors.	
1.10e	Distance between points	e) Understand and be able to use position vectors.	MJ4
		Learners should understand the meaning of displacement vector, component vector, resultant vector, parallel vector, equal vector and unit vector.	
1.10f		f) Be able to calculate the distance between two points represented by position vectors.	
		<i>i.e.</i> The distance between the points $a\mathbf{i} + b\mathbf{j}$ and $c\mathbf{i} + d\mathbf{j}$ is $\sqrt{(c-a)^2 + (d-b)^2}$.	
1.10g	Problem solving using vectors	g) Be able to use vectors to solve problems in pure mathematics and in context, including forces.	MJ5

2 - Statistics

OCR Ref.	Subject Content	AS learners should	DfE Ref.
2.01 Statist	tical Sampling		
2.01a	Statistical sampling	a) Understand and be able to use the terms 'population' and 'sample'.	MK1
2.01b		b) Be able to use samples to make informal inferences about the population.	
2.01c		c) Understand and be able to use sampling techniques, including simple random sampling and opportunity sampling.	
		When considering random samples, learners may assume that the population is large enough to sample without replacement unless told otherwise.	
2.01d		d) Be able to select or critique sampling techniques in the context of solving a statistical problem, including understanding that different samples can lead to different conclusions about the population.	
		Learners should be familiar with (and be able to critique in context) the following sampling methods, but will not be required to carry them out: systematic, stratified, cluster and quota sampling.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
2.02 Data P	Presentation and Interpre	tation	
2.02a	Single variable data	a) Be able to interpret tables and diagrams for single-variable data.	ML1
2.02b		e.g. vertical line charts, dot plots, bar charts, stem-and-leaf diagrams, box-and-whisker plots, cumulative frequency diagrams and histograms (with either equal or unequal class intervals).	
		b) Understand that area in a histogram represents frequency.	
		Includes the link between histograms and probability distributions.	
		Includes understanding, in context, the advantages and disadvantages of different statistical diagrams.	
2.02c	Bivariate data	c) Be able to interpret scatter diagrams and regression lines for bivariate data, including recognition of scatter diagrams which include distinct sections of the population.	ML2
		Learners may be asked to add to diagrams in order to interpret data, but not to draw complete scatter diagrams.	
		[Calculation of equations of regression lines is excluded.]	
2.02d		d) Be able to understand informal interpretation of correlation.	
2.02e		e) Be able to understand that correlation does not imply causation.	
2.02f	Measures of average and spread	f) Be able to calculate and interpret measures of central tendency and variation, including mean, median, mode, percentile, quartile, inter-quartile range, standard deviation and variance.	ML3
		Includes understanding that standard deviation is the root mean square deviation from the mean.	
		Includes using the mean and standard deviation to compare distributions.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
2.02g	Calculations of mean and standard deviation	g) Be able to calculate mean and standard deviation from a list of data, from summary statistics or from a frequency distribution, using calculator statistical functions.	ML3
		Includes understanding that, in the case of a grouped frequency distribution, the calculated mean and standard deviation are estimates.	
		Learners should understand and be able to use the following formulae for standard deviation:	
		$\sqrt{\frac{\Sigma(x-\overline{x})^2}{n}} = \sqrt{\frac{\Sigma x^2}{n} - \overline{x}^2}, \sqrt{\frac{\Sigma f(x-\overline{x})^2}{\Sigma f}} = \sqrt{\frac{\Sigma f x^2}{\Sigma f} - \overline{x}^2}$	
		[Formal estimation of population variance from a sample is excluded. Learners should be aware that there are different naming and symbol conventions for these measures and what the symbols on their calculator represent.]	
2.02h	Outliers and cleaning data	h) Recognise and be able to interpret possible outliers in data sets and statistical diagrams.	ML4
2.02i		i) Be able to select or critique data presentation techniques in the context of a statistical problem.	
2.02j		j) Be able to clean data, including dealing with missing data, errors and outliers.	
		Learners should be familiar with definitions of outliers: 1. more than 1.5 × (interquartile range) from the nearer quartile 2. more than 2 × (standard deviation) away from the mean.	
2.03 Proba	bility		
2.03a	Mutually exclusive and independent	a) Understand and be able to use mutually exclusive and independent events when calculating probabilities.	MM1
	events	Includes understanding and being able to use the notation:	
		P(A), P(A'), P(X = 2), P(X = x).	
		Includes linking their knowledge of probability to probability distributions.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
2.03b	Probability	b) Be able to use appropriate diagrams to assist in the calculation of probabilities.	MM1
		Includes tree diagrams, sample space diagrams, Venn diagrams.	
2.04 Statist	tical Distributions		
2.04a	Discrete probability distributions	a) Understand and be able to use simple, finite, discrete probability distributions, defined in the form of a table or a formula such as:	MN1
		P(X = x) = 0.05x(x+1) for $x = 1, 2, 3$.	
		[Calculation of mean and variance of discrete random variables is excluded.]	
2.04b		b) Understand and be able to use the binomial distribution, as a model.	
2.04c		c) Be able to calculate probabilities using the binomial distribution, using appropriate calculator functions.	
		Includes understanding and being able to use the formula $P(X = x) = {n \choose x} p^x (1-p)^{n-x}$ and the notation	
		$X \sim B(n, p).$	
		Learners should understand the conditions for a random variable to have a binomial distribution, be able to identify which of the modelling conditions (assumptions) is/are relevant to a given scenario and be able to explain them in context. They should understand the distinction between conditions and assumptions.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
2.05 Statist	ical Hypothesis Testing		
2.05a	The language of hypothesis testing	a) Understand and be able to use the language of statistical hypothesis testing, developed through a binomial model: null hypothesis, alternative hypothesis, significance level, test statistic, 1-tail test, 2-tail test, critical value, critical region, acceptance region, <i>p</i> -value.	MO1
		Hypotheses should be stated in terms of parameter values (where relevant) and the meanings of symbols should be stated. For example,	
		" $H_0: p = 0.7$, $H_1: p \neq 0.7$, where p is the population proportion in favour of the resolution".	
		Conclusions should be stated in such a way as to reflect the fact that they are not certain. For example, "There is evidence at the 5% level to reject H_0 . It is likely that the mean mass is less than 500 g."	
		"There is no evidence at the 2% level to reject H_0 . There is no reason to suppose that the mean journey time has changed."	
		Some examples of incorrect conclusion are as follows: "H ₀ is rejected. Waiting times have increased."	
		"Accept H_0 . Plants in this area have the same height as plants in other areas."	
2.05b	Hypothesis test for the proportion in a binomial	b) Be able to conduct a statistical hypothesis test for the proportion in the binomial distribution and interpret the results in context.	MO2
2.05c	distribution	c) Understand that a sample is being used to make an inference about the population and appreciate that the significance level is the probability of incorrectly rejecting the null hypothesis.	
		Learners should be able to use a calculator to find critical values.	
		Includes understanding that, where the significance level of a test is specified, the probability of the test statistic being in the rejection region will always be less than or equal to this level.	
		[The use of normal approximation is excluded.]	

3 – Mechanics

OCR Ref.	Subject Content	AS learners should	DfE Ref.
-	ities and Units in Mechai	nics	INCI.
3.01a	SI units	a) Understand and be able to use the fundamental quantities and units in the S.I. system: length (in metres), time (in seconds), mass (in kilograms).	MP1
		Learners should understand that these three base quantities are mutually independent.	
3.01b		b) Understand and be able to use derived quantities and units: velocity (m/s or m s ⁻¹), acceleration (m/s ² or m s ⁻²), force (N), weight (N).	
		Learners should be able to add the appropriate unit to a given quantity.	
3.02 Kinem	atics		
3.02a	Language of kinematics	a) Understand and be able to use the language of kinematics: position, displacement, distance, distance travelled, velocity, speed, acceleration, equation of motion.	MQ1
		Learners should understand the vector nature of displacement, velocity and acceleration and the scalar nature of distance travelled and speed.	
3.02b	Graphical representation	b) Understand, use and interpret graphs in kinematics for motion in a straight line.	MQ2
3.02c		c) Be able to interpret displacement-time and velocity-time graphs, and in particular understand and be able to use the facts that the gradient of a displacement-time graph represents the velocity, the gradient of a velocity-time graph represents the acceleration, and the area between the graph and the time axis for a velocity-time graph represents the displacement.	

OCR Ref.	Subject Content	AS learners should	
3.02d	Constant acceleration	d) Understand, use and derive the formulae for constant acceleration for motion in a straight line:	MQ3
		v = u + at	
		$s = ut + \frac{1}{2}at^2$	
		$s = \frac{1}{2}(u+v)t$	
		$v^2 = u^2 + 2as$	
		$s = vt - \frac{1}{2}at^2$	
		Learners may be required to derive the constant acceleration formulae using a variety of techniques:	
		1. by integration, e.g. $v = \int a dt \Rightarrow v = u + at$,	
		2. by using and interpreting appropriate graphs, e.g. velocity against time, 3. by substitution of one (given) formula into another (given) formula, e.g. substituting $v = u + at$ into	
		$s = \frac{1}{2}(u+v)t$ to obtain $s = ut + \frac{1}{2}at^2$.	
3.02f	Non uniform acceleration	f) Be able to use differentiation and integration with respect to time in one dimension to solve simple problems concerning the displacement, velocity and acceleration of a particle:	MQ4
		$v = \frac{\mathrm{d}s}{\mathrm{d}t}$	
		$a = \frac{\mathrm{d}v}{\mathrm{d}t} = \frac{\mathrm{d}^2 s}{\mathrm{d}t^2}$	
		$dt dt^2$	
		$s = \int v \mathrm{d}t$ and $v = \int a \mathrm{d}t$	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
3.03 Forces	and Newton's Laws		
3.03a	Newton's first law	a) Understand the concept and vector nature of a force.	MR1
		A force has both a magnitude and direction and can cause an object with a given mass to change its velocity.	
		Includes using directed line segments to represent forces (acting in at most two dimensions).	
		Learners should be able to identify the forces acting on a system and represent them in a force diagram.	
3.03b		b) Understand and be able to use Newton's first law.	
		A particle that is at rest (or moving with constant velocity) will remain at rest (or moving with constant velocity) until acted upon by an external force.	
		Learners should be able to complete a diagram with the force(s) required for a given body to remain in equilibrium.	
3.03c	Newton's second law	c) Understand and be able to use Newton's second law ($F = ma$) for motion in a straight line for bodies of constant mass moving under the action of constant forces.	MR2
		e.g. A car moving along a road, a passenger riding in a lift or a crane lifting a weight.	
		Examples will be restricted to problems in which the forces acting on the body will be collinear, in two perpendicular directions or given as 2-D vectors.	
3.03d		d) Understand and be able to use Newton's second law ($F = ma$) in simple cases of forces given as two dimensional vectors.	
		e.g. Find in vector form the force acting on a body of mass 2 kg when it is accelerating at $(4i - 3j)$ m s ⁻² .	
		Questions set involving vectors may involve either column vector notation $\mathbf{F} = \begin{pmatrix} F_1 \\ F_2 \end{pmatrix}$ or \mathbf{i} , \mathbf{j} notation	
		$\mathbf{F} = F_1 \mathbf{i} + F_2 \mathbf{j} .$	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
3.03f	Weight	f) Understand and be able to use the weight ($W = mg$) of a body to model the motion in a straight line under gravity.	MR3
		e.g. A ball falling vertically through the air.	
3.03g		g) Understand the gravitational acceleration, g, and its value in S.I. units to varying degrees of accuracy.	
-		The value of g may be assumed to take a constant value of $9.8 \mathrm{m s^{-2}}$ but learners should be aware that g is not a universal constant but depends on location in the universe.	
		[The inverse square law for gravitation is not required.]	
		[The vector forms $\mathbf{a} = \begin{pmatrix} 0 \\ -g \end{pmatrix}$ or $\mathbf{a} = -g\mathbf{j}$ are excluded.]	
3.03h	Newton's third law	h) Understand and be able to use Newton's third law.	MR4
		Every action has an equal and opposite reaction.	
		Learners should understand and be able to use the concept that a system in which none of its components have any relative motion may be modelled as a single particle.	
3.03i		i) Understand and be able to use the concept of a normal reaction force.	
		Learners should understand and use the result that when an object is resting on a horizontal surface the normal reaction force is equal and opposite to the weight of the object. This includes knowing that when $R = 0$ contact is lost.	
3.03j		j) Be able to use the model of a 'smooth' contact and understand the limitations of the model.	
3.03k		k) Be able to use the concept of equilibrium together with one dimensional motion in a straight line to solve problems that involve connected particles and smooth pulleys.	
		e.g. A train engine pulling a train carriage(s) along a straight horizontal track or the vertical motion of two particles, connected by a light inextensible string passing over a fixed smooth peg or light pulley.	

OCR Ref.	Subject Content	AS learners should	DfE Ref.
3.03n	Newton's third law (continued)	n) Be able to solve problems involving simple cases of equilibrium of forces on a particle in two dimensions using vectors, including connected particles and smooth pulleys.	MR4
		e.g. Finding the required force \mathbf{F} for a particle to remain in equilibrium when under the action of forces \mathbf{F}_1 , \mathbf{F}_2 ,	
		Examples will be restricted to problems in which the forces acting on the body will be collinear, in two perpendicular directions or given as 2-D vectors.	
3.03r	Frictional forces	r) Understand the concept of a frictional force and be able to apply it in contexts where the force is given in vector or component form, or the magnitude and direction of the force are given.	MR6

2d. Prior knowledge, learning and progression

- It is assumed that learners are familiar with the content of GCSE (9–1) Mathematics for first teaching from 2015
- AS Level Mathematics provides the framework within which a large number of young people continue the subject beyond GCSE (9–1) level. It supports their mathematical needs across a broad range of other subjects at this level and provides a basis for subsequent quantitative work in a very wide range of higher education courses and in employment. It also supports the study of AS Level Further Mathematics
- AS Level Mathematics builds from GCSE (9–1) Mathematics and introduces calculus and its applications. It emphasises how mathematical ideas are interconnected and how mathematics can be applied to help make sense of data, to understand the physical world and to solve problems in a variety of contexts, including social sciences and business

- AS Level Mathematics prepares learners for further study and employment in a wide range of disciplines involving the use of mathematics, including STEM disciplines
- Some learners may wish to follow a mathematics course only up to AS Level, in order to broaden their curriculum, and to develop their interest and understanding of different areas of the subject.
- Learners who wish to extend their knowledge and understanding of mathematics and its applications can take Mathematics A Level or Further Mathematics AS or A Level, and can choose to specialise in the particular aspect of mathematics that supports progression in their chosen higher education or employment pathway.

There are a number of Mathematics specifications at OCR. Find out more at <u>www.ocr.org.uk</u>

3 Assessment of AS Level in Mathematics

3a. Forms of assessment

OCR's AS Level in Mathematics A consists of two components that are externally assessed.

Both components (01 and 02) contain assessment of the Overarching Themes and some extended response questions.

The set of assessments in any series will include at least one unstructured problem solving question which addresses multiple areas of the problem solving cycle as set out in the Overarching Themes in section 2b.

The set of assessments in any series will include at least one extended problem solving question which addresses the first two bullets of Assessment Objective 3 in combination and at least one extended modelling question which addresses the last three bullets of Assessment Objective 3 in combination. See section 3b.

All examinations have a duration of 90 minutes.

Learners are permitted to use a scientific or graphical calculator for all papers. Calculators are subject to the rules in the document Instructions for Conducting Examinations, published annually by JCQ (www.jcq.org.uk).

It is expected that calculators available in the assessment will include the following features:

- an iterative function such as an ANS key,
- the ability to compute summary statistics and access probabilities from the binomial and normal distributions.

Some questions will instruct learners "**Do not use a calculator in this question.**" It is expected that they will show sufficient working to indicate that they have followed this instruction.

If there is no particular instruction in a question about the use of a calculator then

allowable calculators can be used for any function they can perform.

In each question paper, learners are expected to support their answers with appropriate working.

Paper 1: Pure Mathematics and Statistics (Component 01)

This component is worth 50% of the total AS Level. All questions are compulsory and there are 75 marks in total.

The paper assesses content from the Pure Mathematics and Statistics sections of the specification, in the context of the Overarching Themes.

The assessment is structured in two sections: approximately 50 marks of Pure Mathematics and approximately 25 marks of Statistics. Each section has a gradient of difficulty throughout the section and consists of a mix of short and long questions.

Some of the assessment items which target the statistics section of the content will be set in the context of the pre-release large data set and will assume familiarity with the key features of that data set.

Paper 2: Pure Mathematics and Mechanics (Component 02)

This component is worth 50% of the total AS Level. All questions are compulsory and there are 75 marks in total.

The paper assesses content from the Pure Mathematics and Mechanics sections of the specification, in the context of the Overarching Themes.

The assessment is structured in two sections: approximately 50 marks of Pure Mathematics and approximately 25 marks of Mechanics. Each section has a gradient of difficulty throughout the section and consists of a mix of short and long questions.

3b. Assessment Objectives (AO)

There are three Assessment Objectives in OCR AS Level in Mathematics A. These are detailed in the table below.

	Assessment Objectives	Weightings
		AS Level
AO1	Use and apply standard techniques	60%
	 Learners should be able to: select and correctly carry out routine procedures; and accurately recall facts, terminology and definitions. 	(±2%)
AO2	Reason, interpret and communicate mathematically	20%
	 Learners should be able to: construct rigorous mathematical arguments (including proofs); make deductions and inferences; assess the validity of mathematical arguments; explain their reasoning; and use mathematical language and notation correctly. Where questions/tasks targeting this assessment objective will also credit learners for the ability to 'use and apply standard techniques' (AO1) and/or to 'solve problems within mathematics and other contexts' (AO3) an appropriate proportion of the marks for the question/task will be attributed to the corresponding assessment objective(s).	(±2%)
AO3	Solve problems within mathematics and in other contexts	20%
	 Learners should be able to: translate problems in mathematical and non-mathematical contexts into mathematical processes; interpret solutions to problems in their original context, and, where appropriate, evaluate their accuracy and limitations; translate situations in context into mathematical models; use mathematical models; and evaluate the outcomes of modelling in context, recognise the limitations of models and, where appropriate, explain how to refine them. 	(±2%)
	Where questions/tasks targeting this assessment objective will also credit learners for the ability to 'use and apply standard techniques' (AO1) and/or to 'reason, interpret and communicate mathematically' (AO2) an appropriate proportion of the marks for the question/task will be attributed to the corresponding assessment objective(s).	

AO weightings in AS Level in Mathematics A

The relationship between the Assessment Objectives and the components are shown in the following table:

Component	% of overall AS Level in Mathematics A (H230)			
	AO1	AO2	AO3	
Pure Mathematics and Statistics (H230/01)	43–47 marks	15–21 marks	10–14 marks	
Pure Mathematics and Mechanics (H230/02)	43–47 marks	10–14 marks	15–21 marks	
Total	58–62%	18–22%	18–22%	

Across both papers combined in any given series, the AO totals will fall within the stated percentages for the qualification. More variation is allowed per component to allow for flexibility in individual assessment design.

3c. Assessment availability

There will be one examination series available each year in May/June to **all** learners.

All examined components must be taken in the same examination series at the end of the course.

3d. Retaking the qualification

Learners can retake the qualification as many times as they wish. They must retake all components of the qualification.

3e. Assessment of extended response

The assessment materials for this qualification provide learners with the opportunity to demonstrate their ability to construct and develop a sustained and coherent line of reasoning and marks for extended responses are integrated into the marking criteria. Tasks which offer this opportunity will be found across both components.

This specification will be certificated from the

June 2018 examination series onwards.

3f. Synoptic assessment

Mathematics is, by nature, a synoptic subject. The assessment in this specification allows learners to demonstrate the understanding they have acquired from the course as a whole and their ability to integrate and apply that understanding. This level of understanding is needed for successful use of the knowledge and skills from this course in future life, work and study.

In the examination papers, learners will be required to integrate and apply their

understanding in order to address problems which require both breadth and depth of understanding in order to reach a satisfactory solution.

Learners will be expected to reflect on and interpret solutions, drawing on their understanding of different aspects of the course.

Tasks which offer this opportunity will be found across both components.

3g. Calculating qualification results

A learner's overall qualification grade for AS Level in Mathematics A will be calculated by adding together their marks from both components taken to give their total mark. This mark will then be compared to the qualification level grade boundaries for the relevant exam series to determine the learner's overall qualification grade.

4 Admin: what you need to know

The information in this section is designed to give an overview of the processes involved in administering this qualification so that you can speak to your exams officer. All of the following processes require you to submit something to OCR by a specific deadline. More information about these processes, together with the deadlines, can be found in the OCR Admin Guide and Entry Codes: 14– 19 Qualifications, which can be downloaded from the OCR website: www.ocr.org.uk

4a. Pre-assessment

Estimated entries

Estimated entries are your best projection of the number of learners who will be entered for a qualification in a particular series.

Final entries

Final entries provide OCR with detailed data for each learner, showing each assessment to be taken. It is essential that you use the correct entry code, considering the relevant entry rules. Estimated entries should be submitted to OCR by the specified deadline. They are free and do not commit your centre in any way.

Final entries must be submitted to OCR by the published deadlines or late entry fees will apply.

All learners taking an AS Level in Mathematics A must be entered for H230.

Entry code	Title	Component code	Component title	Assessment type
H230	Mathematics A	01	Pure Mathematics and Statistics	External Assessment
Π230		02	Pure Mathematics and Mechanics	External Assessment

4b. Special consideration

Special consideration is a post–assessment adjustment to marks or grades to reflect temporary injury, illness or other indisposition at the time the assessment was taken. Detailed information about eligibility for special consideration can be found in the JCQ publication *A guide to the special consideration process.*

4c. External assessment arrangements

Regulations governing examination arrangements are contained in the JCQ *Instructions for conducting examinations*

4d. Results and certificates

Grade Scale

AS Level qualifications are graded on the scale: A, B, C, D, E, where A is the highest. Learners who fail to reach the minimum standard for E will be Unclassified (U). Only subjects in which grades A to E are attained will be recorded on certificates.

Results

Results are released to centres and learners for information and to allow any queries to be resolved before certificates are issued.

Centres will have access to the following results information for each learner:

- the grade for the qualification
- the raw mark for each component
- the total mark for the qualification.

The following supporting information will be available:

- raw mark grade boundaries for each component
- mark grade boundaries for the qualification.

Until certificates are issued, results are deemed to be provisional and may be subject to amendment.

A learner's final results will be recorded on an OCR certificate. The qualification title will be shown on the certificate as 'OCR Level 3 Advanced Subsidiary GCE in Mathematics A'.

4e. Post-results services

A number of post-results services are available:

- Enquiries about results If you are not happy with the outcome of a learner's results, centres may submit an enquiry about results.
- Missing and incomplete results This service should be used if an individual subject result for a learner is missing, or the learner has been omitted entirely from the results supplied.
- Access to scripts Centres can request access to marked scripts.

4f. Malpractice

Any breach of the regulations for the conduct of examinations and non-exam assessment work may constitute malpractice (which includes maladministration) and must be reported to OCR as soon as it is detected. Detailed information on malpractice can be found in the JCQ publication *Suspected Malpractice in Examinations and Assessments: Policies and Procedures.*

5 Appendices

5a. Overlap with other qualifications

This qualification overlaps with OCR's A Level Mathematics A and with other specifications in A Level Mathematics and AS Level Mathematics.

5b. Accessibility

Reasonable adjustments and access arrangements allow learners with special educational needs, disabilities or temporary injuries to access the assessment and show what they know and can do, without changing the demands of the assessment. Applications for these should be made before the examination series. Detailed information about eligibility for access arrangements can be found in the JCQ Access Arrangements and Reasonable Adjustments.

The AS Level qualification and subject criteria have been reviewed in order to identify any feature which could disadvantage learners who share a protected Characteristic as defined by the Equality Act 2010. All reasonable steps have been taken to minimise any such disadvantage.

5c. Mathematical notation

The table below sets out the notation that may be used in AS Level Mathematics A. Students will be expected to understand this notation without need for further explanation.

1	Set Notation		
1.1	e	is an element of	
1.2	¢	is not an element of	
1.3	UI	is a subset of	
1.4	U	is a proper subset of	
1.5	$\{x_1, x_2,\}$	the set with elements x_1, x_2, \ldots	
1.6	${x:}$	the set of all x such that	
1.7	n(A)	the number of elements in set A	
1.8	Ø	the empty set	
1.9	Е	the universal set	
1.10	Α'	the complement of the set A	
1.11	N	the set of natural numbers, $\{1, 2, 3, \ldots\}$	
1.12	Z	the set of integers, $\{0, \pm 1, \pm 2, \pm 3, \ldots\}$	
1.13	${ m Z}^+$	the set of positive integers, $\{1, 2, 3, \ldots\}$	
1.14	\mathbb{Z}_{0}^{+}	the set of non-negative integers, $\{0, 1, 2, 3,\}$	
1.15	R	the set of real numbers	
1.16	Q	the set of rational numbers, $\left\{\frac{p}{q}: p \in \mathbb{Z}, q \in \mathbb{Z}^+\right\}$	
1.17	U	union	
1.18	\cap	intersection	
1.19	(x, y)	the ordered pair x, y	
1.20	[<i>a</i> , <i>b</i>]	the closed interval $\{x \in \mathbb{R} : a \le x \le b\}$	
1.21	[<i>a</i> , <i>b</i>)	the interval $\{x \in \mathbb{R} : a \le x < b\}$	
1.22	(<i>a</i> , <i>b</i>]	the interval $\{x \in \mathbb{R} : a < x \le b\}$	
1.23	(<i>a</i> , <i>b</i>)	the open interval $\{x \in \mathbb{R} : a < x < b\}$	

2		Miscellaneous Symbols
2.1	=	is equal to
2.2	¥	is not equal to
2.3	=	is identical to or is congruent to
2.4	~	is approximately equal to
2.5	∞	infinity
2.6	×	is proportional to
2.7	÷	therefore
2.8	\cdot	because
2.9	<	is less than
2.10	≼,≤	is less than or equal to, is not greater than
2.11	>	is greater than
2.12	≥,≥	is greater than or equal to, is not less than
2.13	$p \Rightarrow q$	p implies q (if p then q)
2.14	$p \Leftarrow q$	p is implied by q (if q then p)
2.15	$p \Leftrightarrow q$	p implies and is implied by q (p is equivalent to q)
3		Operations
3.1	<i>a</i> + <i>b</i>	a plus b
3.2	a-b	a minus b
3.3	$a \times b$, ab , $a.b$	a multiplied by b
3.4	$a \div b, \ \frac{a}{b}$	a divided by b
3.5	$\sum_{i=1}^{n} a_i$	$a_1 + a_2 + \ldots + a_n$
3.6	$\prod_{i=1}^{n} a_i$	$a_1 \times a_2 \times \ldots \times a_n$
3.7	\sqrt{a}	the non-negative square root of a
3.8	<i>a</i>	the modulus of a
3.9	<i>n</i> !	<i>n</i> factorial: $n!=n\times(n-1)\times\ldots\times 2\times 1$, $n\in\mathbb{N}$; $0!=1$
3.10	$\binom{n}{r}, {}^{n}C_{r}, {}_{n}C_{r}$	the binomial coefficient $\frac{n!}{r!(n-r)!}$ for $n, r \in \mathbb{Z}_0^+, r \leq n$ or $\frac{n(n-1)\dots(n-r+1)}{r!}$ for $n \in \mathbb{Q}, r \in \mathbb{Z}_0^+$
4	Functions	
4.1	f(x)	the value of the function f at x

4.2	$f: x \mapsto y$	the function f maps the element x to the element y	
4.5	$\lim_{x \to a} f(x)$	the limit of $f(x)$ as x tends to a	
4.6	$\Delta x, \ \delta x$	an increment of x	
4.7	$\frac{\mathrm{d}y}{\mathrm{d}x}$	the derivative of y with respect to x	
4.8	$\frac{\mathrm{d}^n y}{\mathrm{d} x^n}$	the <i>n</i> th derivative of y with respect to x	
4.9	$f'(x), f''(x),, f^{(n)}(x)$	the first, second,, n^{th} derivatives of $f(x)$ with respect to x	
4.10	<i>x</i> , <i>x</i> ,	the first, second, derivatives of x with respect to t	
4.11	$\int y \mathrm{d}x$	the indefinite integral of y with respect to x	
4.12	$\int_{a}^{b} y \mathrm{d}x$	the definite integral of y with respect to x between the limits $x = a$ and $x = b$	
5	Exponential and Logarithmic Functions		
5.1	e	base of natural logarithms	
5.2	e^x , $exp x$	exponential function of x	
5.3	$\log_a x$	logarithm to the base a of x	
5.4	$\ln x$, $\log_e x$	natural logarithm of x	
6	-	Trigonometric Functions	
6.1	sin, cos, tan	the trigonometric functions	
6.2	\sin^{-1} , \cos^{-1} , \tan^{-1} arcsin, arccos, arctan	the inverse trigonometric functions	
6.3	0	degrees	
9		Vectors	
9.1	a , <u>a</u> , <u>a</u>	the vector \mathbf{a} , \underline{a} , \underline{a} ; these alternatives apply throughout section 9	
9.2	ĀB	the vector represented in magnitude and direction by the directed line segment AB	
9.3	â	a unit vector in the direction of a	
9.4	i, j	unit vectors in the directions of the cartesian coordinate axes	
9.5	$ \mathbf{a} , a$	the magnitude of a	
9.6	$\left \overrightarrow{AB} \right $, AB	the magnitude of \overrightarrow{AB}	

9.7	$\begin{pmatrix} a \\ b \end{pmatrix}, a\mathbf{i} + b\mathbf{j}$	column vector and corresponding unit vector notation
9.8	r	position vector
9.9	S	displacement vector

11		Probability and Statistics
11.1	A, B, C, etc.	events
11.4	P(<i>A</i>)	probability of the event A
11.5	Α'	complement of the event A
11.7	X, Y, R, etc.	random variables
11.8	<i>x</i> , <i>y</i> , <i>r</i> , etc.	values of the random variables X, Y, R etc.
11.9	x_1, x_2, \ldots	values of observations
11.10	f_1, f_2, \ldots	frequencies with which the observations x_1, x_2, \dots occur
11.11	p(x), P(X = x)	probability function of the discrete random variable X
11.12	p_1, p_2, \ldots	probabilities of the values x_1, x_2, \dots of the discrete random variable X
11.13	E(X)	expectation of the random variable X
11.14	$\operatorname{Var}(X)$	variance of the random variable X
11.15	~	has the distribution
11.16	B(<i>n</i> , <i>p</i>)	binomial distribution with parameters n and p , where n is the number of trials and p is the probability of success in a trial
11.17	q	q = 1 - p for binomial distribution
11.22	μ	population mean
11.23	σ^2	population variance
11.24	σ	population standard deviation
11.25	\overline{x}	sample mean
11.26	s ²	sample variance
11.27	S	sample standard deviation
11.28	H ₀	Null hypothesis
11.29	H_1	Alternative hypothesis
12		Mechanics
12.1	kg	kilograms

12.2	m	metres
12.3	km	kilometres
12.4	$m/s, m s^{-1}$	metres per second (velocity)
12.5	m/s^2 , $m s^{-2}$	metres per second per second (acceleration)
12.6	F	Force or resultant force
12.7	Ν	Newton
12.9	t	time
12.10	S	displacement
12.11	и	initial velocity
12.12	ν	velocity or final velocity
12.13	а	acceleration
12.14	g	acceleration due to gravity

5d. Mathematical formulae and identities

Learners must be able to use the following formulae and identities for AS Mathematics, without these formulae and identities being provided, either in these forms or in equivalent forms. These formulae and identities may only be provided where they are the starting point for a proof or as a result to be proved.

Pure Mathematics

Quadratic Equations

$$ax^2 + bx + c = 0$$
 has roots $\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Laws of Indices

 $a^{x}a^{y} \equiv a^{x+y}$ $a^{x} \div a^{y} \equiv a^{x-y}$ $(a^{x})^{y} \equiv a^{xy}$

Laws of Logarithms

 $x = a^{n} \Leftrightarrow n = \log_{a} x \text{ for } a > 0 \text{ and } x > 0$ $\log_{a} x + \log_{a} y \equiv \log_{a} (xy)$ $\log_{a} x - \log_{a} y \equiv \log_{a} \left(\frac{x}{y}\right)$ $k \log_{a} x \equiv \log_{a} \left(x^{k}\right)$

Coordinate Geometry

A straight line graph, gradient *m* passing through (x_1, y_1) has equation

$$y - y_1 = m(x - x_1)$$

Straight lines with gradients m_1 and m_2 are perpendicular when $m_1m_2 = -1$

Trigonometry

In the triangle ABC

Sine rule:

 $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule:

$$a^2 = b^2 + c^2 - 2bc\cos A$$

Area
$$=\frac{1}{2}ab\sin C$$

 $\cos^2 A + \sin^2 A \equiv 1$

Mensuration

Circumference and Area of circle, radius r and diameter d:

$$C = 2\pi r = \pi d \qquad A = \pi r^2$$

Pythagoras' Theorem: In any right-angled triangle where a, b and c are the lengths of the sides and c is the hypotenuse:

$$c^2 = a^2 + b^2$$

Area of a trapezium = $\frac{1}{2}(a+b)h$, where *a* and *b* are the lengths of the parallel sides and *h* is their perpendicular separation.

Volume of a prism = area of cross section \times length

Calculus and Differential Equations

Differentiation

Function	Derivative	
x ⁿ	nx^{n-1}	
e ^{kx}	ke^{kx}	
f(x) + g(x)	f'(x) + g'(x)	

Integration

Function

Integral

 x^n

$$\frac{1}{n+1}x^{n+1} + c, \ n \neq -1$$

$$f'(x) + g'(x)$$
 $f(x) + g(x) + c$

Area under a curve
$$= \int_{a}^{b} y \, dx \ (y \ge 0)$$

Vectors

$$\left|x\mathbf{i} + y\mathbf{j}\right| = \sqrt{x^2 + y^2}$$

Mechanics

Forces and Equilibrium

Weight = mass $\times g$

Newton's second law in the form: F = ma

Kinematics

For motion in a straight line with variable acceleration:

$$v = \frac{dr}{dt} \qquad a = \frac{dv}{dt} = \frac{d^2r}{dt^2}$$
$$r = \int v \, dt \qquad v = \int a \, dt$$
$$v = \frac{ds}{dt} \qquad a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$$
$$s = \int v \, dt \qquad v = \int a \, dt$$

Statistics

The mean of a set of data: $\overline{x} = \frac{\sum x}{n} = \frac{\sum fx}{\sum f}$

Learners will be given the following formulae sheet in each question paper.

Formulae AS Level Mathematics A (H230)

Binomial series $(a+b)^n = a^n + {}^nC_1 a^{n-1}b + {}^nC_2 a^{n-2}b^2 + \dots + {}^nC_r a^{n-r}b^r + \dots + b^n \quad (n \in \mathbb{N}),$ where ${}^nC_r = {n \choose r} = \frac{n!}{r!(n-r)!}$

Differentiation from first principles

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

Standard deviation

$$\sqrt{\frac{\Sigma(x-\overline{x})^2}{n}} = \sqrt{\frac{\Sigma x^2}{n} - \overline{x}^2} \text{ or } \sqrt{\frac{\Sigma f(x-\overline{x})^2}{\Sigma f}} = \sqrt{\frac{\Sigma f x^2}{\Sigma f} - \overline{x}^2}$$

The binomial distribution

If $X \sim B(n, p)$ then $P(X = x) = {n \choose x} p^x (1-p)^{n-x}$, Mean of X is np, Variance of X is np(1-p)

Kinematics

v = u + at $s = ut + \frac{1}{2}at^{2}$ $s = \frac{1}{2}(u + v)t$ $v^{2} = u^{2} + 2as$ $s = vt - \frac{1}{2}at^{2}$

YOUR CHECKLIST

Our aim is to provide you with all the information and support you	Bookmark ocr.org.uk/aslevelmaths for all the latest resources, information and news on AS Level Mathematics A
need to deliver our specifications.	Be among the first to hear about support materials and resources as they become available – register for AS/A Level GCE Maths updates at ocr.org.uk/updates
	Find out about our professional development at cpdhub.ocr.org.uk
	View our range of skills guides for use across subjects and qualifications at ocr.org.uk/skillsguides
	Discover ExamBuilder our new, free, online mock assessment service - ocr.org.uk/exambuilder
	Learn more about Active Results at ocr.org.uk/activeresults
	Join our Maths social network community for teachers at social.ocr.org.uk

Download high-quality, exciting and innovative AS Level Mathematics A resources from ocr.org.uk/aslevelmaths

Resources and support for our AS Level Maths qualifications, developed through collaboration between our Maths Subject Specialists, teachers and other subject experts, are available from our website. You can also contact our Maths Subject Specialists who can give you specialist advice, individual service, guidance and support.

Meet the team at ocr.org.uk/mathsteam and contact them at: 01223 553998 maths@ocr.org.uk @OCR_Maths

To stay up to date with all the relevant news about our qualifications, register for email updates at **ocr.org.uk/updates**

Maths Community

The social network is a free platform where teachers can engage with each other – and with us – to find and offer guidance, discover and share ideas, best practice and a range of maths support materials. To sign up, go to **social.ocr.org.uk**

ocrexams





ocrexams



linkedin.com/ company/ocr







OCR is part of the Cambridge Assessment Group, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. ©OCR 2016 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office 1 Hills Road, Cambridge CB1 2EU. Registered company number 3484466. OCR is an exempt charity.

ocr.org.uk/aslevelmaths