

Mark Scheme (Results)

Summer 2017

Pearson Edexcel GCE
In Biology Spec A (9BN0) Paper 02
Energy, Exercise and Co-ordination



Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2017

Publications Code 9BN0_02_1706_MS

All the material in this publication is copyright

© Pearson Education Ltd 2017

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Additional guidance	Mark
1(a)	A description that makes reference to two of the following points:		
	 serotonin is a neurotransmitter / there will be less neurotransmitter (1) 	ALLOW no serotonin or no neurotransmitter	
	 (less serotonin) results in fewer depolarisations of post synaptic membranes (1) 	ALLOW no depolarisations	
	 threshold not achieved / less chance of action potential being produced (in post-synaptic neurone) (1) 	ALLOW no action potential produced	(2)

Question number	Answer	Additional guidance	Mark
1(b)(i)	A description that makes reference to two of the following points:		
	• MDMA { stimulates release / prevents re-uptake / increases concentration } of serotonin (1)	ALLOW reference to dopamine instead of serotonin	
	 blocking pre-synaptic receptors / binding to post synaptic receptors (1) 		
	 nerve pathways using serotonin are more likely to be stimulated / more action potentials produced (1) 	ALLOW more impulses generated	(2)

Question number	Answer	Additional guidance	Mark
1(b)(ii)	An explanation that makes reference to two of the following points:	ALLOW dopamine instead of serotonin for all points	
	MDMA use results in depletion of serotonin (1)		
	post synaptic membrane becomes less responsive to serotonin / loss of receptors on post synaptic membrane (1)		
	serotonin levels affect mood / lack of serotonin associated with depression (1)		
			(2)

(Total for Question 1 = 6 marks)

Question number	Answer	Mark
2(a)	2(a). The only correct answer is C - Myogenic	
	A is not correct because autonomic refers to the nervous system	
	B is not correct because cardiac refers to the whole heart	
	D is not correct because systolic describes a stage in the cardiac cycle	(1)

Question number	Answer	Additional guidance	Mark
2(b)	A description that makes reference to two of the following points:		
	 more { stimulation / depolarisation } of the SAN (from the sympathetic nervous system) / more impulses to the SAN (1) 		
	• (causing) more frequent waves of depolarisation from the SAN (to the atria) (1)		
	 leading to more frequent { contraction of atria / stimulation of AVN } (1) 		(2)

Question number	Answer	Additional guidance	Mark
2(c)	An explanation that makes reference to three of the following points:	IGNORE reference to events during atrial systole	
	• pressure increases in the ventricles (1)		
	 greater pressure (in the ventricles) than in the { atria / arteries } (1) 		
	causing atrioventricular valves to close (1)		
	 causing the semilunar valves to open / forcing blood into the arteries (1) 		
			(3)

(Total for Question 2 = 6 marks)

Question number	Answer	Additional guidance	Mark
3(a)	An explanation that makes reference to three of the following:		
	{ thick / sticky / viscous } mucus (1)		
	• (accumulation of mucus) which cannot be moved by cilia (1)		
	restricting air flow through { bronchioles / bronchi } (1)	IGNORE 'airways' ALLOW narrowing of bronchioles	
	{increases diffusion distance / reduces surface area for gas exchange } in the alveoli (1)		(3)

Question number	Answer	Mark
3(b)(i)	3(b)(i). The only correct answer is D – spirometer	
	A is not correct because a colorimeter measures light	
	B is not correct because a photometer measures evaporation	
	C is not correct because a respirometer measures the rate of respiration	(1)

Question number	Answer	Mark
3(b)(ii)	3(b)(ii). The only correct answer is B – tidal volume	
	A is not correct because alveolar volume is not shown on the trace	
	C is not correct because total lung volume is not shown on the trace	
	D is not correct because ventilation rate requires a calculation involving time	(1)

Question number	Answer	Mark
3(b)(iii)	3(b)(iii). The only correct answer is B – 9 breaths min ⁻¹	
	A is not correct because 6 is the number of breaths in the 40 second time interval	
	C is not correct because 12bpm is incorrect	
	D is not correct because 16bpm is incorrect	(1)

Question number	Answer	Additional guidance	Mark
3(b)(iv)		Example of calculation	
	volume divided by time to produce rate (1)	0.65 ÷ 40	
	• conversion of volume measured from graph from dm³ to cm³ (1)	Multiplied by 1000 = 16.25	
	calculation of rate per minute (1)	e.g. 16.25 x 60	
		Answer = 900- 975	
		90.0-97.5 or 9000-9750 gains two marks as only one step incorrect	
		Correct answer with no working gains full marks	(3)

(Total for Question 3 = 8 marks)

Question number	Answer	Additional guidance	Mark
4(a)(i)	A description that makes reference to the following:		
	 condensation (1) involving OH groups (on both molecules) / water is formed 		
	(1)		(2)

Question number	Answer	Additional guidance	Mark
4 (a)(ii)	An answer that makes reference to the following:		
	 both are formed from two molecules of (a)glucose / both contain a glycosidic bond (1) 	ALLOW both are disaccharides of glucose DO NOT ALLOW β - glucose	
	 maltose has (a-)1,4 linkage and trehalose has (a-)1,1 linkage / in trehalose one of the glucose monomers is inverted (1) 		
			(2)

Question number	Answer	Mark
4(b)(i)	4(b)(i). The only correct answer is D – hydrolysis	
	A is not correct because anabolism is associated with forming more complex molecules	
	B is not correct because catalysis is a general term for enzyme controlled reactions	
	C is not correct because glycolysis is a sequence of reactions in respiration	(1)

Question number	Answer	Additional guidance	Mark
4(b)(ii)	An explanation that makes reference to the following:		
	• glucose used in respiration to provide { energy / ATP } (1)		
	• glycogen is a polymer of glucose (1)	ALLOW glycogen contains lots of glucose	
	 glycogen has lots of { branches / terminal ends } so it can release glucose rapidly (1) 	ALLOW quickly hydrolysed	
	 breakdown of trehalose { makes two molecules of glucose available / provides a more immediate source of glucose } (1) 		
			(4)

(Total for Question 4 = 9 marks)

Question number		Answer			Mark
5(a)(i)	5(a)(i). The only correct answer is D -	Х	either X or Y		
	A is not correct because eggs do not contain	in a Y chromosome			
	B is not correct because eggs do not contain	in a Y chromosome	and sperm do not a	always contain X	
	C is not correct because eggs do not contai	in a Y chromosome			(1)

Question number	Answer	Additional guidance	Mark
5(a)(ii)	An explanation that makes reference to two of the following points:		
	X chromosome carries { genes / loci } not present on the Y chromosome (1)	ALLOW Y chromosome does not carry { a copy /alleles } of some genes	
	 males have only one { copy / allele } of some genes (1) 		
	• (if only one allele inherited) it will be expressed (1)		(2)

Question number	Answer	Additional guidance	Mark
5(b)(i)	An explanation that makes reference to the following points:	Example of diagram:	
	·	X _p	
		XB XB Xb XB Y	
	 (genetic diagram shows) male genotype X^b Y, female genotype X^BX^B (1) 	X _B X _B X _P X _B Y	
		(Diagram correct gains two marks) Alleles must be associated with the sex chromosomes	
	genetic diagram to show correct genotypes of offspring (1)		
	all offspring have blue feathers (1)		(3)

Question number	Answer	Additional guidance	Mark
5(b)(ii)	An answer that makes reference to the following points:	Full marks can be gained from a labelled genetic diagram, e.g.	
	 females must have inherited b from their father (because they are red) (1) 	males	
	female offspring only inherit one allele (or they would be blue) (1)	$ \begin{array}{c cccc} & X^b & X^b \\ \hline X^B & X^B X^b & X^B X^b \\ \hline Y & X^b Y & X^b Y \\ \end{array} $	
	(in birds) females have different sex chromosomes and males have the same sex chromosomes (1)	ALLOW the opposite to mammals or females ZW and males are ZZ	(3)

(Total for Question 5 = 9 marks)

Question number	Answer	Additional guidance	Mark
6 (a)	An explanation that makes reference to the following points:		
	(muscles cells release lactate into blood) due to anaerobic respiration (1)		
	insufficient oxygen for aerobic respiration / aerobic respiration cannot meet the demand for energy (1)		(2)

Question number	Answer	Additional guidance	Mark
6 (b)	A description that makes reference to three of the following points:		
	• { increased / sufficient } oxygen supply (1)		
	• for aerobic respiration (1)		
	• because { heart rate / breathing rate } increases (1)		
	 lactate is broken down by the liver / rate of lactate production is balanced by rate of lactate breakdown (1) 	ALLOW lactic acid for lactate	(3)

Question number	Answer	Additional guidance	Mark
6 (c)	An answer that makes reference to the following points:		
	• (athlete) P should exercise at an intensity of 300 watts (1)		
	• (athlete) Q should exercise at an intensity of 330 watts (1)		
	• (athlete) R should exercise at an intensity of 360 watts (1)		
	 as there would be an increase in lactate at the next level of intensity of exercise (1) 		(4)
			(4)

(Total for Question 6 = 9 marks)

Question number	Answer	Mark
7(a)	5(a)(i). The only correct answer is A – actin	
	B is not correct because myosin is not found in a thin myofilament	
	C is not correct because tropomyosin is a fibrous protein	
	D is not correct because troponin binds calcium ions as shown in the diagram	(1)

Question number	Answer	Additional guidance	Mark
7(b)(i)	A description that makes reference to the following points:		
	tropomyosin is moved (by troponin) (1)	ALLOW tropomyosin moves	
	myosin binding sites (on actin) are exposed (1)	ALLOW actin-myosin binding site	(2)

Question number	Answer	Additional guidance	Mark
7 (b)(ii)	An explanation that makes reference to four of the following points:		
	myosin heads can bind to binding sites (1)	ALLOW actin – myosin bridges form	
	(bound) myosin changes shape (1)	ALLOW description of head 'nodding' or 'dipping' forward	
	actin filaments { slide / pulled } over the myosin (1)	ALLOW actin moves towards the M line	
	 (therefore) { muscle fibres / myofibril / sarcomeres } shorten (1) ATP hydrolysed / ADP and { inorganic phosphate / Pi } released (1) 	ALLOW Ca ²⁺ activates ATPase	
			(4)

Question number	Answer	Additional guidance	Mark
7(c)	A description that makes reference to three of the following points:	ALLOW Ca ²⁺ for calcium ions	
	calcium ions released from sarcoplasmic reticulum (1)		
	 in response to { nerve impulse / action potential / depolarisation } (at neuromuscular junction) (1) 		
	calcium channels open (to allow calcium ions to cross the membrane / enter the sarcoplasm) (1)	ALLOW calcium ions moving through channel protein	
	calcium ions taken back up into the sarcoplasmic reticulum by active transport (1)		(3)

(Total for Question 7 = 10 marks)

Question number	Answer	Mark
8(a)	8(a). The only correct answer is B – habituation	
	A is not correct because co- ordination is a general term not restricted to changes given	
	C is not correct because inhibition does not describe a change in response	
	D is not correct because it is not a term with meaning in the context of change of response	(1)

Question number	Answer	Additional guidance	Mark
8(b)	An explanation that makes reference to four of the following:		
	potential difference across axon changing (1)	e.g. when depolarised from negative to positive or from -70mV to +40mV or repolarised from +40mV to -70mV	
	 due to increased permeability to sodium ions / (voltage gated) sodium channels open (1) 		
	 sodium ions { move into the axon / cause depolarisation } (1) 		
	 (followed by) an increased permeability to potassium ions / potassium channels open (1) 		
	 potassium ions { move out of the axon / cause repolarisation of the membrane } (1) 		(4)

Question number	Answer
*8(c)(i)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.
	The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.
	Indicative content
	 from table: stimulated at just one point (V or W) – response lost after repeated stimulation if the repeated stimulation is alternated between two points (V and W) the worm still responds by contracting its muscles / no habituation when stimuli alternated between different locations different nerves / neurones / stimulated (by V and W)
	from diagrams: • there is a response at X every time the neurone is stimulated • { repeated stimulation / after three stimuli } there is no longer an impulse recorded at Y • electrode X is close to where the stimulus is applied and it detects an impulse each time • electrode Y is further from where the stimulus is applied • there is a synapse between the stimulus and the neurone monitored at Y
	Knowledge and understanding of habituation:
	 after repeated stimulation the impulse cannot cross the synapse lack of neurotransmitter / not enough time to produce more neurotransmitter calcium ion channels not opening when impulse arrives at the synapse threshold not reached on the post-synaptic neurone and no action potential produced

Level	Mark	Descriptor	Additional Guidance
0	0	No awardable content	
1	1-2	Limited scientific judgement made with a focus on mainly just one study.	One study focused on – probably the table of data
		A conclusion may be attempted, demonstrating isolated elements of biological knowledge and understanding but with limited evidence to support the judgement being made.	Idea of different nerves involved
2	3-4	A scientific judgement is made through the application of relevant evidence from both studies.	Analysis refers to the table of data – idea of difference when stimulus at one place or alternating and the diagrams showing effects of stimulating nerves X and Y.
		A conclusion is made, demonstrating linkages to elements of biological knowledge and understanding, with occasional evidence to support the judgement being made.	Links made to impulses not present post synapse and an explanation for that
3	5-6	A scientific judgement is made, which is supported throughout by sustained application of relevant evidence from the analysis and interpretation of the scientific information.	Analysis of both studies linked to knowledge and understanding of habituation, links made to location of synapse and reasons why
		A conclusion is made, demonstrating sustained linkages to biological knowledge and understanding with evidence to support the judgement being made.	neurotransmitter not released.

Question number	Answer	Additional guidance	Mark
8 (c)(ii)	An answer that makes reference to the following points:		
	description of suitable range of (at least five) frequencies (1)	ALLOW range of five different frequencies above and below 20 per minute	
	a method for making application of stimuli consistent / control of recovery time between tests (1)	e.g. (touch with a cotton bud) to same place each time e.g. give 2 minutes between each test	
	a method for checking for habituation in earthworms (1)	e.g. observing for no response to touch / finding no change in length of earthworm	
	repeats with other earthworms of same { species / size } (1)	(Maximum of 2 marks if investigation described in context of snails)	(4)

(Total for Question 8 = 15 marks)

Question number	Answer	Additional guidance	Mark
9(a)(i)		Example of Calculation:	
	conversion of surface area from m² to cm² (1)	97 x 10000 = 970 000	
	 correctly dividing surface area by volume to determine ratio (1) 	divided by lung volume of 6232	
		Correct ratio of 155.6 : 1 (ALLOW 155.65 :1)	
		ALLOW one mark only for 0.0155:1/0.156:1/155.6	
		Correct answer with no working gains full marks	(2)

Question number	Answer	Mark
9(a)(ii)	9(a)(ii). The only correct answer is D – Student's t-test	
	A is not correct because chi- squared does not test difference between means	
	B is not correct because there is no correlation to test	
	C is not correct because SD does not compare means	(1)

Question number	Answer	Additional guidance	Mark
9(a)(iii)	An answer that makes reference to two of the following points:		
	different { height / weight / mass } (1)	IGNORE 'size'	
	different { gender / sex } (1)	ALLOW 'men have larger lungs than women'	
	different age (1)		(2)

Question number	Answer	Additional guidance	Mark
9(a)(iv)	to allow (valid) comparison / show differences (1)		(1)

Question number	Answer	Additional guidance	Mark
9(b)(i)	values substituted into the equation (1)	Example of calculation: $(30 \times 9) \div 0.5$	
	• correct answer (1)	= 540 Correct answer with no working gains full marks	(2)
9(b)(ii)	• calculation of the difference using the value from (b)(i) (1)	Example of calculation: 2124 - 540 (= 1584)	, ,
	• correct answer (1)	1584/ 2124 x 100 = 74.6% or 75%	
		ECF full marks if calculated correctly for value other than 540	
		Correct answer with no working gains full marks	(2)

Question number	Answer	Additional guidance	Mark
9(c)	An explanation that makes reference to three of the following points:		
	 { smaller surface area / increased diffusion distance } for gas exchange (1) 	ALLOW smaller SA:vol	
	• therefore reduction in oxygen uptake (1)		
	• therefore less oxygen for aerobic respiration (1)		
	 leading to more anaerobic respiration (causing fatigue) (1) 		(2)
			(3)

(Total for Question 9 = 13 marks)

Question number	Answer	Additional guidance	Mark
10(a)	An explanation that makes reference to the following points:		
	because 7 come from (the gametes of) { goatgrass / Aegilops tauschii }(1)	ALLOW A.tauschii	
	because 14 come from (the gametes of) {durum wheat / Triticum turgidum } (1)	ALLOW T.turgidum	(2)

Question number	Answer			Mark	
10(b)	10(b). The only correct answer is B -	7	28	21	
	A is not correct because column 2 shows the number for a gamete and column three for a normal cell				
	C is not correct because columns one and three show numbers for normal cells				
	D is not correct because column one shows the number for a normal cell and column two shows the number for a gamete			(1)	

Question number	Answer	Additional guidance	Mark
10(c)	An explanation that makes reference to two of the following points:		
	• there is an odd number of chromosomes (1)	ALLOW uneven number	
	 therefore it does not have homologous pairs of chromosomes (1) 	ALLOW non-homologous chromosomes	
	 therefore meiosis cannot take place / meiosis requires chromosome pairs (1) 		
			(2)

Question number	Answer	Additional guidance	Mark
10 (d)	An explanation that makes reference to three of the following:		
	chromosomes copied before mitosis / interphase occurs and DNA replicates (1)		
	 without spindle fibres { the chromatids are not separated / both copies of chromosomes remain in same cell } (1) 		
	therefore producing cells with { chromosomes pairs / double the chromosome number } (1)		
	allows production of haploid gametes / adult plants with diploid cells (1)		(3)

Question number	Answer
10 (e)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. Indicative content:
	Benefits Described:
	Risks Hybridisation: • hybridisation can lead to pest species which have ability to grow in wide range of conditions • hybridisation could allow genes for tolerance to harsh conditions from genome D to enter pest species GM:
	 genetic modification may result in genes entering pest species, making control difficult or into food chains GM can introduce antibiotic resistant genes to other species
	 Selective breeding selective breeding reduces { genetic diversity / size of gene pool }, or causes genetic drift leading to loss of useful alleles / reducing the ability of the crops to adapt to environmental change

Level	Mark	Descriptor	Additional Guidance	
0	0	No awardable content		
1	1-2	Limited scientific judgement made with a focus on one side of the argument only.	Only considered one benefit or one risk without further explanation beyond a brief description.	
		A conclusion may be attempted, demonstrating isolated elements of biological knowledge and understanding but with limited evidence to support the judgement being made.		
2	3-4	A scientific judgement is made through the application of relevant evidence to both sides of the argument. A conclusion is made, demonstrating linkages to elements of biological knowledge and understanding, with occasional evidence to support the judgement being made.	Considers at least one risk and one benefit with some discussion.	
3	5-6	A scientific judgement is made, which is supported throughout by sustained application of relevant evidence from the analysis and interpretation of the scientific information. A conclusion is made, demonstrating sustained linkages to	Benefits generally described and specific risks discussed. Conclusions described for each of the	
		biological knowledge and understanding with evidence to support the judgement being made.	three methods – hybrids, GM and selective breeding.	

(Total for Question 10 = 14 marks)