# 

Please write clearly in blo	capitals.	
Centre number	Candidate number	]
Surname		_
Forename(s)		_
Candidate signature		

## A-level PHYSICS

Paper 3 Section A

Thursday 14 June 2018

Morning

#### Materials

For this paper you must have:

- a pencil and a ruler
- a scientific calculator
- a Data and Formulae Booklet.

#### Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show all your working.

#### Information


- The marks for questions are shown in brackets.
- The maximum mark for this paper is 45.
- You are expected to use a scientific calculator where appropriate.
- A Data and Formulae Booklet is provided as a loose insert.

Time allowed: The total time for both sections of this paper is 2 hours. You are advised to spend approximately 70 minutes on this section.

For Examiner's Use		
Question	Mark	
1		
2		
3		
TOTAL		











		Do not write
0 1.1	Deduce the mass of the ruler. State <b>one</b> assumption you make.	outside the box
	[3 marks]	
	mass of ruler =g	
	assumption	
	Question 1 continues on the next page	











] It can be shown that B, the magnitude of the magnetic flux density of the horizontal uniform magnetic field, is given by

$$B = \frac{\sigma}{3L}$$

where  $\sigma$  = change in force acting on the prism per unit current in the wire L = length of the region where the magnetic field cuts through the wire.


Determine B.

[3 marks]









Tick ( $\checkmark$ ) one box in row 3 and one box in row 4 of **Table 1** to identify the effect, if any, on the graph produced for this modified experiment compared with the graph in **Figure 4**.

[3 marks]

	Та	bl	е	1
--	----	----	---	---

		Reduced	No effect	Increased
1	Force acting on the current-carrying wire due to the horizontal uniform magnetic field			
2	Force acting on the prism due to the pivoted ruler			
3	Gradient of the graph			
4	Vertical intercept of the graph			

#### Question 1 continues on the next page

Turn over ►

### 1 |. 5 |

0

Figure 6 shows the balance being used to measure the forces between two wires. The connections joining these wires to the power supply are not shown.


The pan of the balance moves a negligible amount during use and it supports a straight conducting wire  $\mathbf{X}$  of horizontal length L.

Terminal blocks are used to connect **X** into the circuit. The weight of these does not affect the balance reading.

A second conducting wire **Y** is firmly supported a distance d above **X**.

Show, by adding detail to Figure 6, the wire connections that complete the circuit. The currents in **X** and **Y** must have the same magnitude and be in the directions indicated.

[2 marks]





**0 1 . 6** The vertical force F on wire **X** due to the magnetic field produced by wire **Y** is given by

$$F = \frac{kI^2L}{d}$$

where k is a constant
d is the perpendicular distance between X and Y
I is the current in the wires
and L is the horizontal length of wire X.

A student wants to measure *k* using the arrangement in **Figure 6**.

The student is told that the following restrictions must apply:


- L is fixed
- I must not exceed 5.0 A
- the result for k must be obtained using a graphical method
- the experimental procedure must involve only one independent variable.

Explain what the student could do to find *k*.

[5 marks]




19










Question 2 continues on the next page


Turn over ►

box











02.4	Explain how the numerical value of A can be obtained from Figure 8.	[3 marks]	Do not write outside the box
02.5	Estimate the order of magnitude of $A$ . You should use data for $x$ and $y$ from any <b>one</b> row in <b>Table 2</b> on page 1 Give your answer with an appropriate unit.	1. <b>[3 marks]</b>	
	order of magnitude of $A =$ ur	it	12




This question is about an experiment to estimate absolute zero.

Figures 9a to 9d show the stages in the procedure carried out by a student.


An empty flask fitted with a tube and an open valve is placed in water bath **H** containing hot water. The air inside the flask is allowed to come into thermal equilibrium with the water.

The valve is then closed, trapping a certain volume of air, as shown in **Figure 9a**.



The flask is inverted and placed in water bath  ${\bf C}$  in which the water is at room temperature.

The air inside the flask is again allowed to come into thermal equilibrium with the water, as shown in **Figure 9b**.




Question 3 continues on the next page




0 3

Turn over ►






IB/M/Jun18/7408/3A










03.5	Add a best fit line to your graph in <b>Figure 11</b> to show how <i>V</i> should vary wi according to Charles's Law.	th <i>θ</i> [1 mark]	Do not write outside the box
03.6	Determine the value of absolute zero in $^\circ\mathrm{C}$ using your graph in Figure 11.	[3 marks]	
	value of absolute zero =	°C	14
	END OF QUESTIONS		
		Γurn over ►	





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

