

Please write clearly ir	า block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE BIOLOGY

H

Higher Tier Paper 2H

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
9			
TOTAL			



Answer all questions in the spaces provided.


0 1 The nucleus of a cell contains DNA.

0 1 . 1 Name the structures inside the cell nucleus that contain DNA.

[1 mark]

Figure 1 shows part of a DNA molecule.

Figure 1



0 1 . 2 Name the part of the DNA molecule labelled X.

[1 mark]


0 1.3 What type of substances are labelled A, C, G and T in Figure 1?

[1 mark]



Figure 2 shows another section of a DNA molecule.

Figure 2



0 1.4	Four of the substances you named in Question 01.3 are not labelled in part Y of Figure 2 .		
	Label each of these substances with the correct	t letter, A , C , G or T .	
	Use information from other parts of Figure 2 to	help you. [1 mark]	
0 1.5	What is happening to the DNA in part Z of Figu Tick (✓) one box.	re 2? [1 mark]	
	Differentiation		
	Evolution		
	Fertilisation		
	Replication		



Do not write outside the


0 1.6	A gene is a length of DNA.		outside t box
	What type of substance does a gene code for?	[1 mark]	
0 1.7	Most human body cells contain 6×10^{-12} grams of DNA. What mass of DNA will a human sperm cell contain? Tick (\checkmark) one box. 6×10^{-6} grams	[1 mark]	
	$6 \times 10^{-12} \text{ grams}$ $3 \times 10^{-6} \text{ grams}$ $3 \times 10^{-12} \text{ grams}$		
0 1.8	What is the name of the type of cell division that produces sperm cells? Tick (✓) one box. Binary fission	[1 mark]	
	Differentiation Meiosis		
	Mitosis		8



0 2 A student investigated the effect of temperature on the decay of milk.

Figure 3 shows the apparatus the student used.

Figure 3



This is the method used.

- 1. Set up the apparatus as shown in **Figure 3** with the milk at 20 °C.
- 2. Record the pH over 5 days using the computer.
- 3. Repeat with another batch of fresh milk at 25 °C.

0 2.1	How could the student keep the milk at a constant temperature for 5 days?	[1 mark]
0 2.2	Give one variable the student should keep constant. Do not refer to temperature in your answer.	
		[1 mark]

Question 2 continues on the next page



Table 1 shows the student's results for the milk at 20 °C.

Table 1

Time in days	0	1	2	3	4	5
рН	6.7	6.7	6.3	5.3	4.6	4.4


0 2 . 3 Complete Figure 4.

[4 marks]

You should:

- label the x-axis
- use a suitable scale for the x-axis
- plot the data from Table 1
- draw a line of best fit.

Figure 4



0 2 . **4** The data you plotted in Question **02.3** were obtained at 20 °C.

Sketch a line on **Figure 4** to show the results you would expect at 25 °C.

Label this line '25 °C'.

[2 marks]

8



0 3	Human body temperature is controlled within very narrow limits.		
	Scientists investigated the effect of drinking ice-cold water on:		
	internal body temperature		
	the rate of sweating.		
	This is the method used.		
	1. Sit a person inside a room kept at a constant temperature of 25 °C.		
	2. Measure the person's internal body temperature near the brain.		
	3. Measure the person's rate of sweating.		
	4. After 20 minutes, give the person 500 cm ³ of ice-cold water to drink.		
	5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.		
0 3.1	Give the reason why the person should not move during the investigation. [1 mark]		
	Question 3 continues on the next page		



Figure 5 and Figure 6 show the scientists' results.







Figure 6





0 3.2	What is this person's normal internal body temperature?
	[1 mark] Tick (✓) one box.
	36.8 °C 37.0 °C 37.4 °C
	The results show that when the ice-cold water was drunk, the temperature near the brain decreased.
0 3.3	Explain why the temperature near the brain decreased. [2 marks]
0 3.4	The thermoregulatory centre in the brain responds to the decrease in temperature.
	How does the thermoregulatory centre send information to sweat glands in the skin? [1 mark]
0 3.5	The rate of sweating changes between 24 minutes and 36 minutes.
	Explain how this change helps to maintain the person's normal body temperature. [2 marks]
	Question 3 continues on the next page



			Do not write
0 3 . 6	During exercise, the skin appears red.		outside the box
	What causes the skin to appear red?	[1 mark]	
	Tick (✓) one box.		
	Blood vessels moving closer to the skin surface		
	Constriction of blood vessels in the skin		
	Decrease in heart rate		
	Dilation of blood vessels in the skin		8
	Turn over for the next question		



Do not write outside the box Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED




0 4

Decay occurs in a compost heap.

Figure 7 shows a compost heap.

Figure 7




Describe:

 how microorganisms in the layers of soil help to recycle chemicals in the dead plants

how the chemicals are used again by living plants.	[6 marks]



	Do not write
	outside the
	box
	l l
	6
Turn ever for the next question	
Turn over for the next question	





- The growth of daisy plants on a lawn is affected by biotic factors and by abiotic factors.
- 0 5 . 1 Table 2 shows six factors.

Tick (\checkmark) one box in each row to show whether the factor is biotic or abiotic.

[3 marks]


Table 2

Factor	Biotic	Abiotic
Nitrates in the soil		
Rabbits eating the plants		
Shading by a building		
Soil pH		
Temperature		
Trampling by people		

Question 5 continues on the next page



Figure 8 shows a plan of a garden.



A student estimates the number of daisy plants growing on the lawn.

The student places a quadrat at 10 different positions on the lawn.

The quadrat measures 50 cm \times 50 cm.

The student counts the number of daisy plants in each quadrat.

0 5 . 2	How should the student decide where to place the quadrat?		
	Give the reason for your answer.	[2 marks]	



The mean number of daisy plants in each quadrat is 6.
Calculate the number of daisy plants on the lawn.
Give your answer to 3 significant figures. [6 marks]
Number of daisy plants on the lawn =
Using the mean from this investigation to calculate the number of daisy plants on the lawn may not be accurate.
Give two reasons why. [2 marks]
1
2

Turn over for the next question



	.0	
0 6	Reflex actions are coordinated by the nervous system.	
0 6 . 1	What is meant by the term 'reflex action'?	[2 marks]
0 6.2	A woman's hand accidentally touches a hot object.	
	The woman moves her hand away rapidly.	
	Describe how the woman's nervous system coordinates the reflex action.	[6 marks]



Do not write outside the box


0 6 . 3	The endocrine system coordinates many internal functions of the body.		
	Give three ways coordination by the endocrine system is different from coordination by the nervous system.		
	11	(S] 	
	2	_	
	3	_	
		_	
0 6 . 4	Describe how hormones control the menstrual cycle. [5 mark]	ks]	
		_	
		_	
		_	
		_	
		_	
		_ _	
	Turn over for the next question		



0 7 A food web contains several food chains.

Figure 9 shows a food web.

Figure 9



0 7 . 1 The animals in **Figure 9** get their energy by eating other organisms.

Describe how the algae get energy.	[2 marks]

0 7 . 2 Name one primary consumer in Figure 9. [1 mark]




0 7.3	Name one producer in Figure 9 .	[1 mark]
0 7.4	The different food chains in Figure 9 have different numbers Complete Figure 10 to show a food chain in Figure 9 with fiv the human.	
		[1 mark]
	Figure 10	
	1	
	·	
	2	
		
	3	
	+	
	4	
	▼ 5 Human	
0 7 . 5	Figure 9 shows that mackerel eat krill and squid.	
	The biomass of mackerel is much less than the combined bio	omass of krill and squid.
	One reason for this is that the mackerel cannot digest all part	s of the krill and squid.
	Give two other reasons.	[2 marks]
	1	_
	2	





Figure 11 shows how the biomass of adult herring in the North Sea has changed between 1950 and 2010.

Figure 11



0 7 . 6	Calculate the percentage decrease in the biomass of herring between 1960 and 1977.
	Give your answer to the nearest whole number. [4 marks]

Percentage decrease =



%

Do not write outside the box Question 7 continues on the next page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED



0 7 . 7

Too many herring were caught by fishermen between 1960 and 1977.

Herring can live for up to 12 years and begin to reproduce when 3 to 4 years old.

Laws have been introduced to help conserve herring:

- 1977 to 1981 herring fishing was banned in the North Sea
- 1984 to present day control of mesh size of fishing nets
- 1997 to present day fishing quotas were introduced
- 1998 to present day herring fishing was banned in breeding grounds during the breeding season.

Figure 12 shows how a minimum mesh size helps to conserve herring.





Figure 11 is repeated below.





Use data from Figure 11	g

Turn over for the next question

17




0 8	Sickle cell anaemia is an inherited condition that affects red blood cells.
	Sickle cell anaemia is caused by a mutation in the gene for haemoglobin. Haemoglobin is the red pigment found in red blood cells.
	A person who is homozygous for the normal haemoglobin allele $(\mathbf{H}^{\mathbf{A}})$ produces normal red blood cells.
	A person who is homozygous for the mutated allele (H ^S):
	produces red blood cells with abnormal haemoglobin
	has red blood cells that can form an altered shape
	has sickle cell anaemia and becomes ill.
	A person who is heterozygous:
	has both normal and abnormal haemoglobin in the red blood cells
	has sickle cell trait
	is generally healthy but can become ill in certain circumstances.
0 8.1	Give the reason why a mutation in the gene coding for haemoglobin could be harmful. [1 mark]



0 8 . 2

Figure 13 shows some red blood cells from the blood of a person with sickle cell trait.


Figure 13



Calculate the proportion of cells in Figure 13 that have an altered shape.		
Proportion =		

Question 8 continues on the next page

Figure 14 shows the inheritance of sickle cell anaemia in one family.





0	8	3

Persons 8 and 9 in Figure 14 are expecting a second child.

Determine the probability that the child will be a girl with sickle cell trait.

You should:

- draw a Punnett square diagram
- identify the phenotype of each offspring genotype
- use the symbols:

H^A = normal haemoglobin allele

H^s = mutated haemoglobin allele.

[5 marks]

Probability of a girl with sickle cell trait =

Question 8 continues on the next page



0 8. 4 Without medical treatment, people with sickle cell anaemia are frequency.		OL
The malarial parasite cannot live in the red blood cells of a person the $\mathbf{H}^{\mathbf{s}}$ allele.	who has	
A scientist stated:		
'It is an advantage for people to have the H ^s allele in countries whe	ere malaria occurs.'	
Evaluate the scientist's statement.	[3 marks]	
		_



Do not write outside the box Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED



0 9

The Galapagos Islands are located in the Pacific Ocean.

Several species of birds called finches live on the Galapagos Islands.

These finches are very similar to each other.

Figure 15 shows two modern species of Galapagos finch and their classification.

Figure 15

Medium ground finch Small ground finch



Classification group	Medium ground finch	Small ground finch
Kingdom	Animalia	Animalia
	Chordata	Chordata
Class	Aves	Aves
	Passeriformes	Passeriformes
	Thraupidae	Thraupidae
Genus	Geospiza	Geospiza
	fortis	fuliginosa



0 9.1	Complete Figure 15 to give the names of the missing classification groups.	[2 marks]
0 9.2	Give the binomial name of the medium ground finch. Use information from Figure 15 .	[1 mark]

Question 9 continues on the next page



In each species of finch, there is a variation in beak depth.

Figure 16 shows how beak depth is measured.







Figure 17 shows the relationship between the beak depth of parent birds and the beak depth of their offspring.

Figure 17



0 9 . 3	Give evidence from Figure 17 that beak depth is an inherited characteristic.	
		[1 mark]



0 9 . 4	Scientists suggested that more than one gene controls beak depth.	
	Give evidence from Figure 17 to support the scientists' suggestion.	[1 mark]
		[1 mark]
	Question 9 continues on the next page	
	Question 9 continues on the next page	



Figure 18 is a map of the Galapagos Islands.

Figure 18

100 km

Daphne


Isabela

Crossman

On Isabela Island, the medium ground finch **and** the small ground finch are found.

- On Daphne Island, only the medium ground finch is found.
- On Crossman Island, only the small ground finch is found.

Figure 19 shows how the beak depth of each species varies on each island.






	The medium ground finch and the small ground finch both feed on seeds.
	The size of seeds eaten by each bird depends on the depth of the bird's beak.
0 9 . 5	The range of beak depth of medium ground finches on Isabela Island is different from the range on Daphne Island.
	Explain what might have caused this difference. [6 marks]
	[6 marks]
	Question 9 continues on the next page



		Do not write
0 9 . 6	Figure 19 shows:	outside the box
	• the two species of finch live on Isabela Island	
	 only one of the species lives on Daphne Island 	
	• only one of the species lives on Crossman Island.	
	Suggest why both species of finch are able to live on Isabela Island. [2 marks]	
	[2 marks]	
		13

END OF QUESTIONS







Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Additional page, if required. Write the question numbers in the left-hand margin.



44 There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.





IB/M/Jun21/8461/2H

Do not write outside the