The Halogens (MCQ)

| 1. | Which reaction shows chlorine only being oxidised? | |
|----|---|-----|
| | A $CI_2 + H_2O \rightarrow HCI + HCIO$ B $2CIO_2 + 2NaOH \rightarrow NaCIO_2 + NaCIO_3 + H_2O$ C $4KCIO_3 \rightarrow 3KCIO_4 + KCI$ D $MnO_2 + 4HCI \rightarrow MnCI_2 + CI_2 + 2H_2O$ | |
| | Your answer | [1] |
| 2. | What is the best explanation for the trend in boiling points down the halogens group? | |
| | A The covalent bonds become stronger. B The hydrogen bonds become stronger. C The permanent dipole–dipole interactions become stronger. D The induced dipole–dipole interactions (London forces) increase. | |
| | Your answer | [1] |
| 3. | Which silver compound is insoluble in concentrated NH ₃ (aq)? | |
| | A AgNO ₃ B AgC <i>I</i> C AgBr D AgI | |
| | Your answer | [1] |

| 4. | HBr(aq), forms two ions in solution. | |
|----|--|-----|
| | Which observation is correct for reactions of HBr(aq)? | |
| | A. It effervesces addition of sodium carbonate solution. B. It forms a white precipitate on addition of silver nitrate solution. C. It turns orange on addition of silver nitrate solution. D. It turns brown on addition of potassium chloride solution. | |
| | Your answer | [1] |
| 5. | Which halogen most readily forms 1– ions? | |
| | A. bromine B. chlorine C. fluorine D. iodine | |
| | Your answer | [1] |
| 6. | Which row is correct? | |
| | Highest pH when added to water Most reactive halogen | |

| | Highest pH when added to water | Most reactive halogen |
|---|--------------------------------|-----------------------|
| Α | MgO | F ₂ |
| В | MgO | l_2 |
| С | BaO | F ₂ |
| D | ВаО | l ₂ |

| Your answer | | | |
|-------------|--|--|-----|
| | | | [1] |

Mark scheme – The Halogens (MCQ)

| Question | | n | Answer/Indicative content | Marks | Guidance | |
|----------|--|---|---------------------------|-----------|---|--|
| 1 | | | D | 1 (AO2.2) | Examiner's Comments Despite most scripts being covered with annotations of oxidation numbers, only about half of all candidates obtained the correct answer of D. Option B was the most common incorrect response, followed by option C. The annotations on these scripts often showed incorrect assignments of oxidation numbers. | |
| | | | Total | 1 | | |
| 2 | | | D | 1 | Examiner's Comments This part was generally well answered. The common incorrect answer was answer option A. | |
| | | | Total | 1 | | |
| 3 | | | D | 1 | Examiner's Comments Most candidates correctly identified answer option D as the correct insoluble compound. However, answer option A was a common incorrect answer, likely due to it being the only non-halide. | |
| | | | Total | 1 | | |
| 4 | | | А | 1 | | |
| | | | Total | 1 | | |
| 5 | | | С | 1 | | |
| | | | Total | 1 | | |
| 6 | | | С | 1 | | |
| | | | Total | 1 | | |