1. Express $x + \frac{1}{1-x} + \frac{2}{1+x}$ as a single fraction, simplifying your answer.

[3]

2. i. Express $\frac{2}{3-x} + \frac{3}{1+x}$ as a single fraction in its simplest form.

- [2]
- ii. Hence express $\left(\frac{2}{3-x} + \frac{3}{1+x}\right) \times \frac{x^2 + 8x 33}{121-x^2}$ as a single fraction in its lowest terms.
 - [3]

END OF QUESTION paper

© OCR 2017. Page 1 of 4

Mark scheme

Question		on	Answer/Indicative content	Marks	Part marks and guidance	
1			$x(1-x^2) + (1+x) + 2(1-x)$ oe	M1	condone one sign error	if M0B0, SC1 for any pair of terms correctly combined into a single fraction, may be unsimplified
			$1 - x^2$ oe	B1	any correct denominator common to all three fractions	
					must be fully simplified; mark the final answer	
			$\frac{3-x^3}{1-x^2}$ be can	A1	Examiner's Comments Most candidates were able to identify the correct common denominator and write down the correct numerator in expanded form. Whilst many went on to earn the third mark, algebraic slips were quite common, $3 - x^2$ and $3 - x - x^2$ were commonly seen in the final answer. A surprisingly high number of candidates achieved the correct answer and then went on to "simplify" the result with incorrect cancelling out, thus losing the last mark.	$\frac{x(3-x^3)}{x(1-x^2)}$ eg $x(1-x^2)$ De may score a maximum of M1B1A0
			Total	3		
2		i	$\frac{2(1+x)+3(3-x)}{(3-x)(1+x)}$	B1	or $\frac{2(1+x)}{(3-x)(1+x)} + \frac{3(3-x)}{(3-x)(1+x)}$	allow recovery from omission of brackets; brackets may be expanded in numerator
		i	$\frac{11-x}{(3-x)(1+x)}$ oe isw	B1	numerator must be simplified B2 if unsupported Examiner's Comments This proved accessible to nearly all candidates, with most scoring full marks. A few slipped up with arithmetic and lost the accuracy mark, but zero marks was very rare.	denominator may be in expanded form at either stage eg $3 + 2x - x^2$

© OCR 2017. Page 3 of 4

	$\frac{(x+11)(x-3)}{(11+x)(11-x)} \text{ or } \frac{(x+11)(x-3)}{(121-x^2)}$	M1*	allow $(x - 11)(x + 3)$ for numerator and $/$ or $(x - 11)(x + 11)$ in denominator	
			or $\frac{2}{(3-x)}$ × their $\frac{(x+11)(x-3)}{(11+x)(11-x)}$ + $\frac{3}{(1+x)}$ × their $\frac{(x+11)(x-3)}{(11+x)(11-x)}$	
i	their $\frac{11-x}{(3-x)(1+x)}$ × their $\frac{(x+11)(x-3)}{(11+x)(11-x)}$	M1*dep	Examiner's Comments	with at least one pair of their terms correctly cancelled out, allow if RH fraction only partially factorised
			A minority of candidates ignored the request for lowest terms and simply multiplied everything out. This approach didn't score. Most correctly factorised the numerator, however, and usually successfully cancelled out at least one pair of terms. Surprisingly, only a minority successfully reached the final answer.	
i	$\frac{-1}{(1+x)}$ oe cao	A1		
	Total	5		