M1	(a)	liver	1	
	(b)	insulin do not accept glucagon	1	
	(c)	kidney	1	
	(d)	to replace water / ions / salt	1	
		(that is) lost in sweat	1	[5]

M2. (a) (i) (too) big

cannot fit / pass through filter / through (pores) in membrane / cannot be filtered too big to be filtered = 2 marks

(ii) water

(iii) partially permeable

- (b) any **two** from:
 - hazards of operation / named eg
 - may be rejected or need to use immunosuppressant drugs / long term drug use or transplant may need to be replaced
 - · susceptible to other infections
 - shortage of donors
 - high initial cost

[6]

М3.	(a)	(i)	kidney	1
		(ii)	bladder	1
		(iii)	liver	1
		(iv)	lung(s)	1
		(v)	skin	1
	(b)	(i)	allow 2970 to 3030 correct answer gains 2 marks with or without working if answer incorrect allow 1 mark for evidence of 1550 + 450 + 1000 (allow tolerance of + or – ½ square on each)	2
		(ii)	1600 allow 1570 to 1630	1
		(iii)	1400 allow (b)(i) – (b)(ii)	1
		(iv)	correct plot from (b)(iii) tolerance ½ square ignore width	1

(v) cells swell / overhydrated / damaged accept poisoned (by urea)

[11]

(a) pancreas M4. allow phonetic spelling 1 (b) (i) Α 1 short<u>est</u> / quick<u>er</u> time (to work) 1 (ii) D 1 acts for longest time mark dependent on D allow D will last until 09.00 / breakfast / 24 hours 1 (iii) diet / exercise if 'diet' is qualified, then will need correct qualification, e.g. 'less carbohydrate / sugar' accept pancreas transplant / stem cell treatment 1 [6]

(a) (i) water M5. 1 (ii) small 1 (iii) 3.15 1 (b) (i) 21 000 1 (ii) 2 years 1 (iii) prevent rejection 1

[6]

M6. (a)	a highe	er con	centration would be difficult to stir	1	
	(b)	(i)	methane	1	
		(ii)	60 100 - (5 + 35) but incorrect answer allow 1 mark	2	
	(c)	(i)	aerobic respiration	1	
		(ii)	oxygen	1	[6]

M7.	(a)	panci	reas apply list principle	1
	(b)	(i)	protein apply list principle	1
		(ii)	 (controlling / changing) diet accept sugar(y foods) / named eg ignore references to starch / fat / protein / fibre exercise accept example, eg go for a run pancreas transplant accept named drug eg metformin 	1
	(c)	(i)	increase ignore reference to women	1
			then fall	1
			relevant data quote (for male) eg max at ages 65–74 or starts at 10 (per thousand) or max at 130 (per thousand) or ends at 120 (per thousand) accept a difference between any pairs of numbers in data set accept quotes from scale eg '130' or '130 per thousand' but not '130 thousand'; to within accuracy of +/- 2 (per thousand)	1

(between 0 and 64) more females (than males) or less males (than

(ii)

females)				
ignore numbers				
allow eg females more diabetic than males				

1

1

(over 65) more males (than females) or less females (than males) allow eg males more diabetic than females

[8]

M8. (a) brain in correct order only 1 blood 1 sweat 1 (b) (i) Α 1 to replace ions lost (in sweat) (ii) accept salts allow named examples, eg. prevent cramps 1 (iii) any **one** from: there is too much glucose / sugar in the sports drink they shouldn't have too much glucose / blood sugar it would cause their blood glucose / sugar to rise (too high) 1

[6]