M1. (a) any tw	vo from:
----------------	-----------------

- nuclear ٠

	 oil (natural) gas 	2
(b)	4 (hours)	1
(c)	a system of cables and transformers	1
(d)	The power output of wind turbines is unpredictable	1
(e)	1500 / 0.6	1
	2500 (wind turbines)	1
	allow 2500 with no working shown for 2 marks	
(f)	Most energy resources have negative environmental effects.	1

	hairdryer
	kettle answers can be in any order
(b)	(i) Y
	 (ii) bar drawn with any height greater than Y ignore width of bar
(c)	(bigger volume) takes more time (to boil) accept explanation using data from graph
	(so) more energy transferred do not accept electricity for energy

M2.

(a)

iron

(and) this costs more money ignore reference to cost of water wasting more money because heating more water than needed is insufficient

[8]

1

1

1

1

1

1

1

1

M3. (a)	there	is a magnetic field (around the magnet)
		(this magnetic field) changes / moves
		and cuts through coil accept links with coil
		<i>so a</i> p.d. <u>induced</u> across coil
		the coil forms a complete circuit
		<i>so a</i> current (<i>is</i> induced)
	(b)	ammeter reading does not change must be in this order accept ammeter has a small reading / shows a current
		zero

greater than before accept a large(r) reading

same as originally but in the opposite direction accept a small reading in the opposite direction (c) 0.30

allow **1** mark for correct substitution, ie 0.05 = Q / 6

C / coulomb

allow A s

1

1

2

[13]

M4.(a) (i) any six from:

(b)

	(1)	any SIX nom.	
		 switch on read both ammeter and voltmeter allow read the meters adjust variable resistor to change the current take further readings draw graph (of) V against I allow take mean R = V / I allow take the gradient of the graph 	6
	(ii)	resistor would get hot if current left on	1
		so its resistance would increase	1
	(iii)	12 (V) <i>0.75 × 16 gains 1 mark</i>	2
	(iv)	15 (Ω)	1
		16 is nearer to that value than any other	1
)	if cu	rrent is above 5 A / value of fuse	1
	fuse	melts allow blows / breaks do not accept exploded	1

breaks circuit

[15]

1

M5. (a) he may receive an electric shock

	or	
	he may be electrocuted	1
	if he touches the live wire	1
(b)	10 690 = I × 230	1
	I = 10 690 / 230	1
	46.478(260) (A)	1
	46	1
	allow 46 (A) with no working shown for 4 marks	
(c)	cost is higher	1
	more energy is used (per second)	1

[8]

total resistance = 30 (Ω)

(b)

$$V = 0.4 \times 30$$
 1

allow 12 (V) with no working shown for **3** marks an answer of 8 (V) or 4 (V) gains **2** marks only

(c)
$$P = 0.4 \times 12 = 4.8$$

5 (W)

1

1

1

1

allow 5 (W) with no working shown for 2 marks
allow 4.8 (W) with no working shown for 1 mark

[6]