

Q1.Electricity is generated in a nuclear power station.

Fission is the process by which energy is released in the nuclear reactor.

(a) **Figure 1** shows the first part of the nuclear fission reaction.

Complete **Figure 1** to show how the fission process starts a chain reaction.


Figure 1



(3)

(b) **Figure 2** shows the inside of a nuclear reactor in a nuclear power station.

Figure 2



In a nuclear reactor a chain reaction occurs, which causes neutrons to be released.

The control rods absorb neutrons.

The control rods can be moved up and down.

Explain how the energy released by the chain reaction is affected by moving the control rods.


.....
.....

.....
.....

(2)

- (c) **Figure 3** shows how the power output of the nuclear reactor would change if the control rods were removed.

Figure 3



Calculate the rate of increase of power output at 10 minutes.

.....
.....
.....
.....

Rate of increase of power output = MW / minute

(2)

(Total 7 marks)

Q2. (a) A radioactive source emits alpha (α), beta (β) and gamma (γ) radiation.

(i) Which **two** types of radiation will pass through a sheet of card?

.....

(1)

(ii) Which **two** types of radiation would be deflected by an electric field?

.....

(1)

(iii) Which type of radiation has the greatest range in air?

.....

(1)

(b) A student suggests that the radioactive source should be stored in a freezer at -20°C . The student thinks that this would reduce the radiation emitted from the source.

Suggest why the student is wrong.

.....

.....

(1)

(c) Phosphorus-32 is a radioactive isotope that emits beta radiation.


(i) How is an atom of phosphorus-32 different from an atom of the stable isotope phosphorus-31?

.....

.....

(1)

(ii) The graph shows how the count rate of a sample of phosphorus-32 changes with time.



Use the graph to calculate the half-life of phosphorus-32.


Show clearly how you used the graph to obtain your answer.

.....

Half-life = days

(2)

- (iii) Plants use phosphorus compounds to grow. Watering the root system of a plant with a solution containing a phosphorus-32 compound can help scientists to understand the growth process.



Explain why phosphorus-32 is suitable for use as a tracer in this situation.

.....

.....
.....

(2)
(Total 9 marks)

Q3. In 1986, a nuclear reactor exploded in a power station at Chernobyl in the Ukraine.

- (a) The table gives information about some of the radioactive substances released into the air by the explosion.

Radioactive substance	Half-life	Type of radiation emitted
Iodine-131	8 days	beta and gamma
Caesium-134	2 years	beta
Caesium-137	30 years	beta

- (i) How is the structure of a caesium-134 atom different from the structure of a caesium-137 atom?

.....

(1)

- (ii) What is a beta particle and from which part of an atom is a beta particle emitted?

.....

.....

(1)

- (iii) Once a radioactive substance is dissolved in rainwater, it can enter the food chain.

Following the Chernobyl explosion, some milk supplies were found to be radioactive.

If one litre of milk contaminated with iodine-131 gives a count rate of 400 counts/second, how long will it take for the count rate to fall to 25 counts/second?

Show clearly how you work out your answer.

.....

.....

.....

Time taken = days

(2)

- (iv) After 20 years, the caesium-137 emitted into the atmosphere is a more serious problem than the iodine-131.

Explain why.

.....

.....

.....

.....

.....

(2)

- (b) The bar chart compares the incidence of thyroid cancer in Ukrainian children, aged 0–14 years, before and after the Chernobyl explosion.



Of the children that developed thyroid cancer, 64% lived in the areas most contaminated by the radiation.

Considering this data, can you be certain that a child who developed thyroid cancer between 1986 and 1990 did so because of the Chernobyl explosion?

Explain the reason for your answer.

.....
.....
.....
.....

(2)

(c) In 1991, some scientists compared the health of two groups of people: a *control* group and a group that had been exposed to the radiation from Chernobyl.

What people would have been in the *control* group?

.....

(1)

(d) Although there are some risks associated with nuclear power stations, it is likely that new ones will be built.

Give **two** reasons to justify the use of nuclear power.

1

.....

2

.....

(2)
(Total 11 marks)

Q4. Food irradiation is a process that exposes food to radiation. Irradiation can be used to kill the bacteria that cause food poisoning or to slow down the ripening of fresh fruit and vegetables. Frozen foods and food inside packaging can also be irradiated.

(a) The table gives information about five radioactive isotopes.

Isotope	Half-life	Radiation emitted
Caesium-134	2.1 years	beta
Cobalt-60	5.3 years	gamma
Curium-242	160 days	alpha
Strontium-90	28 years	beta
Technetium-99	6 hours	gamma

Which of these radioactive isotopes would be most suitable for irradiating food?

.....

Explain the reasons for your choice.

.....

(3)

(b) Many people think that food should not be irradiated. Consumer groups have said that they are worried about the nutritional value and safety of eating irradiated foods.

(i) Suggest **one** reason why some people may be concerned about the safety of eating irradiated food.

.....

(1)

(ii) Independent scientific committees in several countries, including Sweden,

Canada and the UK, have concluded that it is safe to eat irradiated food.

These scientific committees need to be independent from government influence.

Suggest why.

.....
.....

(1)

- (iii) One group of scientists has compared the vitamin content of non-irradiated foods with irradiated foods.

The table below gives the data obtained for 1 kg of cooked chicken.

Vitamin	Non-irradiated food in milligrams	Irradiated food in milligrams
B6	1.22	1.35
B12	21.00	28.00
E	3.30	2.15
Niacin	58.00	55.50
Riboflavin	2.10	2.25

Considering only the data in the table, is it valid to conclude that irradiated food is less nutritional than non-irradiated food?

Explain your answer.

.....
.....
.....
.....
.....

(2)

- (iv) In a restaurant, meals with ingredients that have been irradiated must be

clearly identified on the menu.

It is important that people eating in a restaurant are given this information.

Suggest why.

.....
.....

(1)

- (c) The isotope caesium-137 decays by emitting beta radiation.
Caesium-137 has a half-life of 30 years.

- (i) What is a beta particle, and from which part of an atom is a beta particle emitted?

.....
.....

(1)

- (ii) A sample containing caesium-137 has a count rate of 600 counts per minute.

Calculate how long it would take for the count rate from the sample to fall to 75 counts per minute.

Show clearly how you work out your answer.


.....
.....
.....

Time taken = years

(2)

(Total 11 marks)

Q5.A A teacher used the equipment shown in the diagram to measure the count rate at different distances from a radioactive source.



(a) Her results are shown in **Table 1**.

Table 1

Distance in metres	Count rate in counts per minute	Corrected count rate in counts per minute
0.4	143	125
0.6	74	56
0.8	49	31
1.0	38	20
1.2	32	14
1.4	28	10
1.6	18	0
1.8	18	0
2.0	18	0

The background count rate has been used to calculate the corrected count rate.

(i) What is the value of the background count rate?

Background count rate = counts per minute

(1)

(ii) What information does the corrected count rate give?

.....

(1)

- (iii) The radioactive source used in the demonstration emits only one type of radiation.

The radioactive source is **not** an alpha emitter.


How can you tell from the data in the table?

.....
.....

(1)

- (iv) Plot a graph of corrected count rate against distance for distances between 0.4 m and 1.4 m.

Draw a line of best fit to complete the graph.



(3)

- (v) The 'half-distance' is the distance a detector has to be moved away from a radioactive source for the corrected count rate to halve.

A student has the hypothesis:
A radioactive source has a constant 'half-distance'.

Table 1 has been repeated for your information.

Table 1

Distance in metres	Count rate in counts per minute	Corrected count rate in counts per minute
--------------------	---------------------------------	---

0.4	143	125
0.6	74	56
0.8	49	31
1.0	38	20
1.2	32	14
1.4	28	10
1.6	18	0
1.8	18	0
2.0	18	0

Use **Table 1** to determine if the hypothesis is correct for this radioactive source.

You should use calculations in your answer.

.....

.....

.....

.....

.....


.....

.....

(3)

- (b) A teacher places a beta source and a detector in a magnetic field.

The arrangement of the magnetic field is shown.



.....The teacher repeated the experiment with the magnetic field in a different

direction.



A set of results is shown in **Table 2**.

Table 2

Distance between source and detector in metres	Count rate in counts per minute without magnetic field	Count rate in counts per minute in Experiment 1	Count rate in counts per minute in Experiment 2
0.8	48	48	32

- (i) Describe **and** explain the effect of the magnetic field on the count rate detected by the detector.

.....

.....

.....

.....

.....

.....

(2)

- (ii) The experiment is repeated with a different distance between the source and the detector.

Table 3 shows the repeated results.

Table 3

Distance between source and	Count rate in counts per minute without	Count rate in counts per minute in	Count rate in counts per minute in

detector in metres	magnetic field	Experiment 1	Experiment 2
1.8	19	18	20

Explain these results.

.....

.....

.....

.....

.....


.....

.....

(2)
(Total 13 marks)

Q6.(a) A teacher used a Geiger-Müller (GM) tube and counter to measure the *background radiation* in her laboratory.

The teacher reset the counter to zero, waited one minute and then took the count reading. The teacher repeated the procedure two more times.



(i) Background radiation can be either from natural sources or from man-made sources.

Name **one man-made** source of background radiation.

.....

(1)

(ii) The three readings taken by the teacher are given in the table.

Count after one minute
15
24
18

The readings given in the table are correct.

Why are the readings different?

.....

.....

(1)

(b) Some scientists say they have found evidence to show that people living in areas of

high natural background radiation are less likely to develop cancer than people living in similar areas with lower background radiation.

The evidence these scientists found does not definitely mean that the level of background radiation determines whether a person will develop cancer.

Suggest a reason why.

.....
.....

(1)

- (c) An atom of the isotope radon-222 emits an alpha particle and decays into an atom of polonium.

An alpha particle is the same as a helium nucleus. The symbol below represents an alpha particle.



- (i) How many protons and how many neutrons are there in an alpha particle?


Number of protons =

Number of neutrons =

(2)


- (ii) The decay of radon-222 can be represented by the equation below.

Complete the equation by writing the correct number in each of the **two** boxes.



(2)

- (d) The graph shows how, in a sample of air, the number of radon-222 nuclei changes with time.



Use the graph to find the half-life of radon-222.

Show clearly on the graph how you obtain your answer.

Half-life = days

(2)
(Total 9 marks)