M1. (a) 2.75

allow **1** mark for correct substitution, ie $\frac{\frac{11}{4}}{or}$ or $\frac{\frac{23-12}{4}}{provided no subsequent step shown$

m/s²

2

1

1

1

1

[6]

(b) driving force increases

frictional force increases accept air resistance / drag for frictional force

driving force > frictional force

M2. (a) 3

gains 1 mark

m/s²

gains 1 mark

else working gains 1 mark

(b) 2850 ecf

gains 1 mark

Ν

gains 1 mark

else working gains 1 mark

2

3

2

 (c) friction/air resistance increases with speed; till frictional = max forward force; then force/acceleration is zero for 1 mark each

> alternative limitation for safety gains 1 mark only

> > [7]

| M3. | (a) air(resistance) has greatest effect on paper | 1 |
|-----|--|-------|
| (b) |) paper or both fall faster | 1 |
| | (both) fall together accept same speed or rate | 1 [3] |

M4. (a) (i) accelerating

accept getting faster accept speed / velocity increasing

1

(ii) acceleration <u>increases</u> accept velocity / speed increases <u>more</u> rapidly do **not** accept velocity / speed increases

1

1

2

1

accept $a = \frac{v-u}{t}$ or $a = \frac{v_1 - v_2}{t}$

do **not** accept velocity for change in velocity do **not** accept change in speed

do **not** accept
$$a = \frac{v}{t}$$

- (ii) 15 allow 1 mark for an answer of 900 or for <u>correct</u> use of 540 seconds
- (iii) velocity includes direction accept velocity is a vector (quantity) accept converse answer

[6]

| М5. | (a) | It will have a constant speed. | 1 |
|-----|-----|--|---|
| | (b) | distance travelled = speed × time | 1 |
| | (c) | a = <u>18 - 9</u> 6 | 1 |
| | | a = 1.5 allow 1.5 with no working shown for 2 marks | 1 |
| | (d) | resultant force = mass × acceleration | 1 |
| | (e) | F = (1120+80) × 1.5 | 1 |
| | | F = 1800 (N) allow 1800 with no working shown for 2 marks | 1 |
| | (f) | accept their 10.3 × 1200 correctly calculated for 2 marks $18^2 - 9^2 = 2 \times 1.5 \times s$ | 1 |
| | | $s = 18^2 - 9^2 / 2 \times 1.5$ | 1 |

s = 81 (m)

allow 81 (m) with no working shown for **3** marks accept answer using their 10.3 (if not 1.5) correctly calculated for **3** marks

(g) Level 2 (3–4 marks):

A detailed and coherent explanation is provided. The response makes logical links between clearly identified, relevant points that include references to the numerical factor.

Level 1 (1–2 marks):

Simple statements are made. The response may fail to make logical links between the points raised.

0 marks:

No relevant content.

Indicative content

- doubling speed increase the kinetic energy
- kinetic energy increases by a factor of 4
- work done (by brakes) to stop the car increases
- work done increases by a factor of 4
- work done is force × distance and braking force is constant
- so if work done increases by 4 then the braking distance must increase by 4

[14]

4

M6. (a) (produces) a force from water on the boat

in the forward direction

accept in the opposite direction this must refer to the direction of the force not simply the boat moves forwards an answer produces an (equal and) opposite force gains **1** mark

(b) (i) 1.5 allow **1** mark for correct substitution, ie $\frac{16-4}{8}$ or $\frac{12}{8}$ provided no subsequent step shown ignore sign

m/s²

| (ii) | 102 or their (b)(i) × 68 correctly calculated | |
|------|--|--|
| | allow 1 mark for correct substitution, ie 1.5×68 | |
| | or their (b)(i) × 68 | |
| | provided no subsequent step shown | |

(iii) greater than reason only scores if greater than chosen

> need to overcome resistance forces accept named resistance force accept resistance forces act (on the water skier) do **not** accept gravity

1

1

2

1

2

1

1

| M7. | (a) | A constant speed / velocity | | |
|-----|-----|-----------------------------|--|--|
| | | | accept steady pace | |
| | | | do not accept terminal velocity | |
| | | | do not accept stationary | |
| | | _ | | |
| | | B acc | celeration | |
| | | | accept speeding up | |
| | | • | | |
| | | C de | | |
| | | | accept slowing down | |
| | | | accept accelerating backwards accept accelerating in reverse | |
| | | | do not accept decelerating backwards | |
| | | | | |
| | (b) | (i) | the distance the car travels under the braking force | |
| | | | accept braking <u>distance</u> | |
| | | (;;) | | |
| | | (ii) | speed/velocity/momentum | |
| | (c) | (i) | 5000 (N) to the left | |
| | (-) | (.) | both required | |
| | | | accept 5000(N) with the direction indicated by an arrow drawn pointing to the left | |

(ii) to measure/detect forces exerted (on dummy / driver during the collision)

accept 5000(N) in the opposite direction to the force of the car (on the barrier)

accept 5000(N) towards the car

(iii) 4

allow **1** mark for showing a triangle drawn on the straight part of the graph **or** correct use of two pairs of coordinates

2

1

m/s²

do not accept mps²

[10]